



# 2017/18

## MPL PRODUCT CATALOGUE

Here at MPL we have searched far and wide for the best possible range of replacement uPVC door locks, hardware and locksmith tools.

# Contents

1. Technical Information	Page 3
2. Multipoint Locks	Page 7
Versa	Page 7
Avantis	Page 8
Avocet	Page 9
Coldseal	Page 16
ERA	Page 18
Ferco	Page 27
Fuhr	Page 28
Fullex XL	Page 32
Fullex	Page 36
Fullex Crimebeater	Page 40
GU	Page 42
Gibbons	Page 55
Gridlock	Page 56
Kenrick	Page 58
KFV	Page 59
Lockmaster / Mila Master	Page 62
Maco	Page 70
Mila	Page 75
Millenco	Page 77
Roto	Page 87
Safeware	Page 91
Cego Surelock	Page 93
UCEM	Page 95
Vitawin	Page 96
Winkhaus	Page 97
Yale	Page 107
3. uPVC Door Keeps	Page 113
4. Euro Cylinders	Page 117
5. Oval Cylinders	Page 121
6. uPVC Door Handles	Page 122
Lever / Lever Door Handles	Page 122
Lever / Pad Door Handles	Page 133

7. Patio Door Handles	Page 137
8. uPVC Door Hinges	Page 139
9. Letter Plates	Page 141
10. Window Hinges	Page 143
11. Sash Jammers	Page 145
12. Restrictors	Page 146
13. Window Mechanisms	Page 147
14. Sashmate	Page 151
15. Window Handles	Page 152
16. Tilt & Turn	Page 153
17. General Stock	Page 155
18. Mortice Locks	Page 163
19. Locksmith Tools	Page 165

# Identifying a Multipoint Lock

## 1. Manufacturers Name

A manufacturers name is always the best place to start. Check the faceplate and the gearbox for the manufacturer's name - remember the cylinder is not likely to be the same brand as your mechanism - so don't go by the name on that.


If your lock has no name it is likely to be an old Fullex or KfV - call sales for further help or email us some photos - [sales@multipointlocks.co.uk](mailto:sales@multipointlocks.co.uk)

## 2. Backset and Centres

The most important measurements when replacing a multipoint lock are the backset and centres measurements.

Backset - from the front of the faceplate to the centre of the euro cylinder hole.

Centres - from the centre of the spindle hole to the centre of the circular part of the euro cylinder hole.



### Common Centres

92mm - Avocet, ERA, Fuhr, Fullex, Crimebeater, Fullex XL, Gridlock, GU, KfV, Lockmaster, Maco, Mila, Mila Master, Millenco Mantis 3Roto, Safeware, Vitawin, Winkhaus

68mm - Old Style Fullex

70mm - Ferco, GU Tripack

72mm - Old Fuhr Lock (obsolete)

85mm - UCEM


95mm - Millenco Mantis 2

117mm - Millenco

### 3. Locking Points



**Latch**



**Deadbolt**



**Roller**




**Hook & Pin**



**Hook Down**



**Hook Up**



**Shootpin**



**Small Hook**

Using the pictures above identify the locking points that your lock has and the order in which they are in. Check the technical diagram to make sure the distances are approximately right (allow variation for measurement)

### 4. Faceplate

Check the width of the faceplate - most common locks are 16mm. However some locks are 20mm or 24mm.

### 5. Lock Operation



Lever/Lever  
Standard operation



Lever/Pad - Double Spindle  
Locks on latch when closed.



Lever/Pad - Single Spindle  
Locks on latch when closed.

# Handing Information for Keeps

A lot of multipoint lock keeps are handed - we always view the door standing on the inside.

## Right Handed

VIEWED FROM INSIDE

- Hinged on LEFT and opens TOWARDS you
- Hinged on RIGHT and opens AWAY from you



## Left Handed

VIEWED FROM INSIDE

- Hinged on RIGHT and opens TOWARDS you
- Hinged on LEFT and opens AWAY from you



# Suggested Handles & Keeps

Please note that throughout the catalogue we suggest handle sets and keeps to suit particular mechanisms.

It is important to note that the handles recommended will suit the lock concerned but they may not be a suitable replacement for your particular circumstances i.e. you may be replacing an existing handle set with a longer backplate and longer screw centres - please check before ordering.


You can refer to our handle section for a complete range of handles.

Keeps recommended, whilst "universal" (will suit the majority of uPVC profiles), cannot be guaranteed to suit your specific profile and packers may be required.

# VERSA

## Multi-fit Replacement MPL

Part No	Backset	Centres/PZ	Faceplate	Spindle
The below variants are for uPVC applications. 3 part lock with 2 hooks, 2 rollers and UPVC keeps				
V-MPL25	25mm	92mm	16mm	Single (8mm)
V-MPL28	28mm	92mm	16mm	Single (8mm)
V-MPL30	30mm	92mm	16mm	Single (8mm)
V-MPLSS35	35mm	92mm	16mm	Split (8mm)
V-MPL40	40mm	92mm	16mm	Single (8mm)
V-MPLSS45	45mm	92mm	16mm	Split (8mm)
V-MPL55	55mm	92mm	16mm	Single (8mm)
The below variants are for timber applications. 3 part repair locks with 2 hooks and timber keeps				
V-MPLSST35	35mm	92mm	20mm	Split (8mm)
V-MPLSST45	45mm	92mm	20mm	Split (8mm)
V-MPLT55	55mm	92mm	20mm	Single (8mm)



### Additional Information

#### Latch Reversal:


A high security, versatile 3 point locking system designed to replace the largest range of multipoint locks on the market.  
The most flexible MPL on the market.

Supplied in 3 parts with serrated shoe connectors, 600mm of serrations and croppable extensions for ultimate flexibility.

# Avantis

## Centre Case

Part No	Backset	Centres/PZ	Faceplate	Spindle
AVCASE35	35mm	92mm/ 62mm	16mm Flat	Double (8mm)
AVCASE45	45mm	92mm/ 62mm	16mm Flat	Double (8mm)



### Additional Information

#### Latch Reversal:

Remove allen key in side of latch / case.

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:

Avocet locks were previously known as WMS or KMB locks which have no markings on the faceplate.

# Avocet

## 2 Hooks 2 Rollers



Part No	Backset	Centres/PZ	Faceplate	Spindle
MPL5	35mm	92mm/ 62mm	16mm Flat	Double (8mm)

**Please note that the brass version of this lock is now obsolete. We now supply the silver version where the rollers are in slightly different positions to those shown.**

**You will also need the new keep to suit: MPL132LH / MPL132RH**

### Additional Information

#### Latch Reversal:

Remove allen key in side of latch / case.

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:

Avocet locks were previously known as WMS or KMB locks which have no markings on the faceplate.

### Additional Extras

#### Door Handles - Lever/Lever:


MPL531 - W

#### Door Handles - Lever/Pad:

MPL456 - G/W/S

#### Door Keeps / Strikes:

1 x Full Length Keep RH - MPL132-RH  
1 x Full Length Keep LH - MPL132-LH




# Avocet

## 2 Hooks 4 Rollers



Part No	Backset	Centres/PZ	Faceplate	Spindle
<p><b>This lock is now obsolete and is shown for reference only. The best replacement is the Avocet 2 Hook 2 Roller (MPL5) with new keep (MPL132LH/RH)</b></p>				



### Additional Information

#### Latch Reversal:

Remove allen key in side of latch / case.

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:

Avocet locks were previously known as WMS or KMB locks which have no markings on the faceplate.


### Additional Extras



# Avocet

## 4 Hook 4 Roller

Part No	Backset	Centres/PZ	Faceplate	Spindle
<p><b>This product is shown for reference only as it is now obsolete.</b>  <b>The closest replacement is the Avocet 2 Hook 2 Roller 35 x 92</b>  <b>MPL5 - you will also need to replace the keeps.</b></p>				



### Additional Information

#### Latch Reversal:

Remove allen key in side of latch / case.

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:


Avocet locks were previously known as WMS or KMB locks which have no markings on the faceplate.

### Additional Extras

# Avocet

## 3 Deadbolt 4 Roller

Part No	Backset	Centres/PZ	Faceplate	Spindle
MPL3	35mm	92mm/ 62mm	16mm Flat	Double (8mm)



### Additional Information

#### Latch Reversal:

Remove allen key in side of latch / case.

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:

Avocet locks were previously known as WMS or KMB locks which have no markings on the faceplate.

### Additional Extras

#### Door Handles - Lever/Lever:

MPL531 - W

#### Door Handles - Lever/Pad:

MPL456 - G/W/S

#### Door Keeps / Strikes:


- 1 x Latch Keep - MPL144
- 2 x Deadbolt Keeps (Pair)- MPL476
- 4 x Roller Keep - MPL148



# Avocet

## 4 Hook

Part No	Backset	Centres/PZ	Faceplate	Spindle
AVOBA4H35	35mm	92mm/ 62mm	20mm Radius	Double (8mm)
AVOBA4H45	45mm	92mm/ 62mm	20mm Radius	Double (8mm)



### Additional Information

#### Latch Reversal:

Remove allen key in side of latch / case.

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:

This lock features 4 hooks which throw in opposite directions and is designed for use on timber and composite doors.

### Additional Extras

#### Door Handles - Lever/Lever:

MPLxxx

#### Door Handles - Lever/Pad:

MPLxxx


#### Door Keeps / Strikes:

TBC

# Avocet

## Slave Lock

Part No	Backset	Centres/PZ	Faceplate	Spindle
MPL3	35mm	92mm/ 62mm	16mm Flat	Double (8mm)



### Additional Information

#### Latch Reversal:

Remove allen key in side of latch / case.

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:

Avocet locks were previously known as WMS or KMB locks which have no markings on the faceplate.

### Additional Extras

#### Door Handles - Lever/Lever:

MPL531 - W

#### Door Handles - Lever/Pad:


MPL456 - G/W/S

#### Door Keeps / Strikes:

- 1 x Latch Keep - MPL144
- 2 x Deadbolt Keeps (Pair) - MPL476
- 4 x Roller Keep - MPL148

# Avocet 4 Roller

Part No	Backset	Centres/PZ	Faceplate	Spindle
MPL499	35mm	92mm/ 62mm	16mm Flat	Double (8mm)



## Additional Information

### Latch Reversal:

Remove allen key in side of latch / case.

### Operation:

Lever / Lever or Lever/Pad

### Handy Tips:

Avocet locks were previously known as WMS or KMB locks which have no markings on the faceplate.

## Additional Extras

### Door Handles - Lever/Lever:

MPL531 - W

### Door Handles - Lever/Pad:

MPL456 - G/W/S

### Door Keeps / Strikes:


- 1 x Latch Keep - MPL144
- 1 x Deadbolt Keeps (Pair) - MPL476
- 4 x Roller Keep - MPL148



# Coldseal

## 4 Hook 4 Roller MK1

Part No	Backset	Centres/PZ	Faceplate	Spindle
<p><b>This product is shown for reference only as it is now obsolete.</b>  <b>The closest replacement is the Avocet 2 Hook 2 Roller 35 x 92</b>  <b>MPL4 - you will also need to replace the keeps.</b></p>				



### Additional Information

#### Latch Reversal:

Remove allen key in side of latch / case.

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:

Avocet locks were previously known as WMS or KMB locks which have no markings on the faceplate.

### Additional Extras

#### Door Handles - Lever/Lever:

MPL531 - W

#### Door Handles - Lever/Pad:

MPL456 - G/W/S

#### Door Keeps / Strikes:


N/A



# Coldseal

## 4 Hook 4 Roller MK2

Part No	Backset	Centres/PZ	Faceplate	Spindle
AS47139	35mm	92mm	16mm Flat	Single (8mm)
AS4713935	35mm	92mm	16mm Flat	Double (8mm)
AS4713945	45mm	92mm	16mm Flat	Single (8mm)



### Additional Information

#### Latch Reversal:

Remove allen key in side of latch / case.

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:

### Additional Extras

#### Door Handles - Lever/Lever:

MPL171 - B/G/PC/W

#### Door Handles - Lever/Pad:

N/A


#### Door Keeps / Strikes:

N/A

# ERA

## 2 Hook 2 Roller (620/620)

Part No	Backset	Centres/PZ	Faceplate	Spindle
MPL12	35mm	92mm	16mm Flat	Split Single (8mm)



### Additional Information

#### Latch Reversal:

Remove two Phillips screws in the latch.

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:

### Additional Extras

#### Door Handles - Lever/Lever:

MPL171 - B/G/PC/W

#### Door Handles - Lever/Pad:

MPL453 - G/W/PC


#### Door Keeps / Strikes:

- 1 x Latch Keep - MPL144
- 1 x Deadbolt Keeps (Pair) - MPL476
- 1 x Hook Keeps (Pair) - MPL476
- 2 x Roller Keep - MPL148

# ERA

## 2 Hook 2 Roller (420/380)

Part No	Backset	Centres/PZ	Faceplate	Spindle
MPL602	35mm	92mm	16mm Flat	Split Single (8mm)



### Additional Information

#### Latch Reversal:

Remove two Phillips screws in the latch.

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:

### Additional Extras

#### Door Handles - Lever/Lever:

MPL171 - B/G/PC/W

#### Door Handles - Lever/Pad:

MPL453 - G/W/PC


#### Door Keeps / Strikes:

- 1 x Latch Keep - MPL144
- 1 x Deadbolt Keeps (Pair) - MPL476
- 1 x Hook Keeps (Pair) - MPL476
- 2 x Roller Keep - MPL148

# ERA

## 2 Hook (680/740)

Part No	Backset	Centres/PZ	Faceplate	Spindle
MPL483	45mm	92mm	20mm Radius	Split Single (8mm)



### Additional Information

#### Latch Reversal:

Remove two Phillips screws in the latch.

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:

Often marked 609 on faceplate.

### Additional Extras

#### Door Handles - Lever/Lever:

MPL171 - B/G/PC/W

#### Door Handles - Lever/Pad:

MPL453 - G/W/PC

#### Door Keeps / Strikes:


- 1 x Latch Keep - MPL144
- 1 x Deadbolt Keeps (Pair) - MPL476
- 1 x Hook Keeps (Pair) - MPL476



# ERA

## 2 Small Hook 2 Roller (620/620)

Part No	Backset	Centres/PZ	Faceplate	Spindle
MPL603	35mm	92mm	16mm	Single Split (8mm)
MPL604	45mm	92mm	16mm	Single Split (8mm)



### Additional Information

#### Latch Reversal:

Remove two Phillips screws in the latch.

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:

### Additional Extras

#### Door Handles - Lever/Lever:

MPL171 - B/G/PC/W

#### Door Handles - Lever/Pad:

MPL453 - G/W/PC


#### Door Keeps / Strikes:

- 1 x Latch Keep - MPL144
- 1 x Deadbolt Keeps (Pair) - MPL476
- 2 x Hook Keeps (Pair) - MPL476
- 2 x Roller Keep - MPL148

# ERA

## 2 Small Hook (710/690)

Part No	Backset	Centres/PZ	Faceplate	Spindle
MPL605	45mm	92mm	16mm Flat	Split Single (8mm)
MPL606	45mm	92mm	20mm	Split Single (8mm)



### Additional Information

#### Latch Reversal:

Remove two Phillips screws in the latch.

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:

20mm version often marked 013 on faceplate.

### Additional Extras

#### Door Handles - Lever/Lever:

MPL171 - B/G/PC/W

#### Door Handles - Lever/Pad:

MPL453 - G/W/PC

#### Door Keeps / Strikes:


- 1 x Latch Keep - MPL144
- 1 x Deadbolt Keeps (Pair) - MPL476
- 1 x Hook Keeps (Pair) - MPL476



# ERA

## 3 Hook 2 Roller

Part No	Backset	Centres/PZ	Faceplate	Spindle
MPL607	35mm	92mm	16mm Flat	Split Single 8mm



### Additional Information

#### Latch Reversal:

Remove two Phillips screws in the latch.

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:

### Additional Extras

#### Door Handles - Lever/Lever:

MPL171 - B/G/PC/W

#### Door Handles - Lever/Pad:

MPL453 - G/W/PC

#### Door Keeps / Strikes:

1 x Latch Keep - MPL144

2 x Hook Keeps (Pair) - MPL476

2 x Roller Keep - MPL148

The image displays three views of a metal bracket assembly. The top view shows a rectangular plate with a central circular hole and several smaller holes. The front view shows the bracket's profile, featuring a curved, semi-circular flange on the left side. The bottom view shows the reverse side of the bracket, with a central rectangular cutout and various mounting points.

Technical drawing of a mechanical assembly showing dimensions before cutting. The drawing includes a side view and a cross-sectional view. Dimensions are given in millimeters.

**Side View Dimensions:**

- Total length: 2250 Before Cutting
- Segment 1: 620
- Segment 2: 620
- Segment 3: 220

**Cross-sectional View Dimensions:**


- Width: 52
- Central hole diameter: 35
- Distance from center to right edge: 92

# Multipoint Locks

# ERA

## Centre Case

Part No	Backset	Centres/PZ	Deadbolt / Hook	Spindle
MPL609	30mm	92mm	Deadbolt	Single Split 8mm
MPL108	35mm	92mm	Deadbolt	Single Split 8mm
MPL610	35mm	92mm	Hook	Single Split 8mm
MPL109	45mm	92mm	Deadbolt	Single Split 8mm



### Additional Information

#### Latch Reversal:

Remove two Phillips screws in the latch.

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:

### Additional Extras

#### Door Handles - Lever/Lever:

MPL171 - B/G/PC/W

#### Door Handles - Lever/Pad:

MPL453 - G/W/PC

#### Door Keeps / Strikes:


1 x Latch Keep - MPL144

1 x Deadbolt Keeps (Pair) - MPL476

# ERA Vectis

## Centre Case

Part No	Backset	Centres/PZ	Deadbolt / Hook	Spindle
MPL611	35mm	92mm	Deadbolt	Single Split 8mm
MPL612	35mm	92mm	Hook	Single Split 8mm
MPL461	45mm	92mm	Deadbolt	Single Split 8mm



### Additional Information

#### Latch Reversal:

Remove two Phillips screws in the latch.

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:

5 Lever Mortice Lock.

### Additional Extras

#### Door Handles - Lever/Lever:

MPL171 - B/G/PC/W

#### Door Handles - Lever/Pad:

MPL453 - G/W/PC

#### Door Keeps / Strikes:


1 x Latch Keep - MPL144

1 x Deadbolt Keeps (Pair) - MPL476

# Ferco

## 4 Roller

Part No	Backset	Centres/PZ	Faceplate	Spindle
MPL19	28mm	70mm	16mm Flat	Single 7mm
MPL20	35mm	70mm	16mm Flat	Single 7mm



### Additional Information

#### Latch Reversal:

Insert screw driver into slot on side of case, pull latch out, reverse, and re-insert.

#### Operation:

Lever / Lever

#### Handy Tips:

Replaces old 2 mushroom  
2 roller Ferco mechanism.  
28mm stamped .28  
35mm stamped .35

### Additional Extras

#### Door Handles - Lever/Lever:

MPL173- G/S/W/B

#### Door Keeps / Strikes:


1 x Latch Keep - MPL144  
4 x Roller Keep - MPL148



# Fuhr

## 2 Hook 2 Roller

Part No	Backset	Centres/PZ	Faceplate	Spindle
MPL22	30mm	92mm	16mm Flat	Single (8mm)
MPL23	35mm	92mm	16mm Flat	Single (8mm)
MPL194	35mm	92mm	16mm Flat	Split Single (8mm)
MPL613	45mm	92mm	16mm Flat	Single (8mm)



### Additional Information

#### Latch Reversal:

Remove allen key in side of latch / case.

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:

### Additional Extras

#### Door Handles - Lever/Lever:

MPL171 - B/G/PC/W

#### Door Handles - Lever/Pad:

MPL453 - G/W/PC

#### Door Keeps / Strikes:

1 x Latch & DB Keep L/H - MPL254LH


1 x Latch & DB Keep R/H - MPL254RH

1 x Hook Keeps (Pair) - MPL476

2 x Roller Keep - MPL148

# Fuhr 4 Roller

Part No	Backset	Centres/PZ	Faceplate	Spindle
MPL315	25mm	92mm	16mm Flat	Single (8mm)
MPL570	25mm	92mm	16mm Flat	Single - <b>KEY WIND</b>
MPL27	30mm	92mm	16mm Flat	Single (8mm)
FU855T130	30mm	92mm	16mm Flat	Single - <b>KEY WIND</b>
MPL28	35mm	92mm	16mm Flat	Single (8mm)
MPL614	35mm	92mm	16mm Flat	Split Single (8mm)
MPL442	35mm	92mm	16mm Flat	Single - <b>KEY WIND</b>
MPL29	45mm	92mm	16mm Flat	Single (8mm)
MPL487	45mm	92mm	24mm URail	Single (8mm)



## Additional Information

### Latch Reversal:

Remove allen key in side of latch / case.

### Operation:

Lever / Lever, Lever/Pad, Key Wind

### Handy Tips:

## Additional Extras

### Door Handles - Lever/Lever:

MPL171 - B/G/PC/W

### Door Handles - Lever/Pad:

MPL453 - G/W/PC

### Door Keeps / Strikes:

1 x Latch & DB Keep L/H - MPL254LH


1 x Latch & DB Keep R/H - MPL254RH

4 x Roller Keep - MPL148

# Fuhr

## 2 Shootpin 2 Roller

Part No	Backset	Centres/PZ	Faceplate	Spindle
MPL24	30mm	92mm	16mm Flat	Single (8mm)
MPL25	35mm	92mm	16mm Flat	Single (8mm)



### Additional Information

#### Latch Reversal:

Remove allen key in side of latch / case.

#### Operation:

Lever / Lever

#### Handy Tips:

### Additional Extras

#### Door Handles - Lever/Lever:

MPL171 - B/G/PC/W

#### Door Handles - Lever/Pad:

MPL453 - G/W/PC

#### Door Keeps / Strikes:

1 x Latch & DB Keep L/H - MPL254LH

1 x Latch & DB Keep R/H - MPL254RH

1 x Deadbolt Keeps (Pair) - MPL476

2 x Roller Keep - MPL148

# Fuhr

## Overnight Lock

Part No	Backset	Centres/PZ	Deadbolt / Hook	Spindle
MPL35	35mm	92mm	Deadbolt	Single 8mm
MPL615	45mm	92mm	Deadbolt	Single 8mm



### Additional Information

#### Latch Reversal:

Remove allen key in side of latch / case.

#### Operation:

Lever / Lever

#### Handy Tips:

### Additional Extras

#### Door Handles - Lever/Lever:

MPL171 - B/G/PC/W

#### Door Handles - Lever/Pad:

MPL453 - G/W/PC

#### Door Keeps / Strikes:

1 x Latch & DB Keep L/H - MPL254LH


1 x Latch & DB Keep R/H - MPL254RH

(Please note a similar overnight lock may be supplied dependant upon stock with slightly different case measurements - they all fit in the place of common uPVC door locks with minimal adjustment.)

# Fullex XL

3 Hook 2 Roller 2 Anti Lift (540/540)

Part No	Backset	Centres/PZ	Faceplate	Spindle
MPL451	35mm	92mm	16mm Flat	Single (8mm)
MPL616	35mm	92mm 62MM	16mm Flat	Dual (8mm)



## Additional Information

### Latch Reversal:

Remove screw in the latch.

### Operation:

Lever / Lever or Lever/Pad

### Handy Tips:

## Additional Extras

### Door Handles - Lever/Lever:

MPL178 - G/PC/W/B

### Door Handles - Lever/Pad:

MPL454 - W/G/PC


### Door Keeps / Strikes:



# Fullex XL

## 3 Hook 4 Roller 2 Anti Lift (Composite)

Part No	Backset	Centres/PZ	Faceplate	Spindle
FUXLCOMP3H4R35	35mm	92mm/62mm	16mm Flat	Double (8mm)
FUXLCOMP3H4R35S	35mm	92mm	16mm Flat	Single (8mm)



### Additional Information

#### Latch Reversal:

Remove screw in the latch.

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:

### Additional Extras

Door Handles - Lever/Lever:


Door Handles - Lever/Pad:

Door Keeps / Strikes:

# Fullex XL

3 Hook 4 Roller 2 Anti Lift (780/760)

Part No	Backset	Centres/PZ	Faceplate	Spindle
MPL617	35mm	92mm	16mm Flat	Single (8mm)
MPL618	35mm	92mm / 62mm	16mm Flat	Double (8mm)
MPL619	45mm	92mm / 62mm	44mm U	Double (8mm)



## Additional Information

### Latch Reversal:

Remove screw in the latch.

### Operation:

Lever / Lever or Lever/Pad

### Handy Tips:

## Additional Extras

### Door Handles - Lever/Lever:

MPL178 - G/PC/W/B

### Door Handles - Lever/Pad:

MPL454 - W/G/PC

### Door Keeps / Strikes:

# Fullex XL

## Centre Case

Part No	Backset	Centres/PZ	Faceplate	Spindle
MPL532	35mm	92mm	16mm Flat	Single (8mm)
MPL532D	35mm	92mm / 62mm	16mm Flat	Double (8mm)
FULXLCASE45	45mm	92mm / 62mm	16mm Flat	Double (8mm)



### Additional Information


#### Latch Reversal:

Undo the screw or screws (depending on the model) in the latch to remove. Reverse, reinsert and replace screw(s).

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:






# Fullex SL16

## 3 Deadbolt 1 Hook

Part No	Backset	Centres/PZ	Faceplate	Spindle
MPL264	35mm	68mm	16mm Flat	Single Split (8mm)



### Additional Information

#### Latch Reversal:

Remove screw in latch.

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:

### Additional Extras

#### Door Handles - Lever/Lever:

MPL179- G/S/W

#### Door Handles - Lever/Pad:

MPL455- G/S/W

#### Door Keeps / Strikes:

1 x Latch Keep - MPL144


2 x Deadbolt Keeps (Pair) - MPL476



# Fullex SL16

## 3 Deadbolt

Part No	Backset	Centres/PZ	Faceplate	Spindle
MPL622	35mm	68mm	16mm Flat	Single Split (8mm)
MPL623	45mm	68mm	20mm Radius	Single Split (8mm)



### Additional Information

#### Latch Reversal:

Remove screw in latch.

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:

### Additional Extras

#### Door Handles - Lever/Lever:

MPL179- G/S/W

#### Door Handles - Lever/Pad:

MPL455- G/S/W

#### Door Keeps / Strikes:


1 x Latch Keep- MPL144

2 x Deadbolt Keeps (Pair)- MPL476

# Fullex SL16

## Centre Case

Part No	Backset	Centres/PZ	Deadbolt / Hook	Spindle
MPL37	35mm	68mm	Deadbolt	Single Split 8mm
MPL38	45mm	68mm	Deadbolt	Single Split 8mm
MPL39	55mm	68mm	Deadbolt	Single Split 8mm



### Additional Information

#### Latch Reversal:

Remove screw in latch.

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:

### Additional Extras

#### Door Handles - Lever/Lever:

MPL179- G/S/W

#### Door Handles - Lever/Pad:

MPL455- G/S/W

#### Door Keeps / Strikes:


1 x Latch Keep- MPL144

1 x Deadbolt Keeps (Pair)- MPL476

# Fullex Old Style

## Centre Case

Part No	Backset	Centres/PZ	Deadbolt / Hook	Spindle
MPL195	35mm	68mm	Deadbolt	Single Split 8mm



### Additional Information

#### Latch Reversal:

Remove screw in latch.

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:

### Additional Extras

#### Door Handles - Lever/Lever:

MPL179 - G/S/W

#### Door Handles - Lever/Pad:

MPL455 - G/S/W

#### Door Keeps / Strikes:


1 x Latch Keep - MPL144

1 x Deadbolt Keeps (Pair) - MPL476

# Fullex Crimebeater

## 3 Deadbolt

Part No	Backset	Centres/PZ	Faceplate	Spindle
MPL624	35mm	92mm	20mm Radius	Dual (8mm)
MPL625	45mm	92mm	20mm Radius	Dual (8mm)
MPL626	55mm	92mm	20mm Radius	Dual (8mm)



### Additional Information

#### Latch Reversal:

Remove screw in latch.

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:

### Additional Extras

#### Door Handles - Lever/Lever:

MPL178 - G/PC/W/B

#### Door Handles - Lever/Pad:

MPL454 - W/G/PC

#### Door Keeps / Strikes:


1 x Latch Keep- MPL144

2 x Deadbolt Keeps (Pair)- MPL476

# Fullex Crimebeater

## 2 Hook

Part No	Backset	Centres/PZ	Faceplate	Spindle
MPL627	35mm	92mm	20mm Radius	Dual (8mm)
MPL628	45mm	92mm	20mm Radius	Dual (8mm)
MPL629	55mm	92mm	20mm Radius	Dual (8mm)



### Additional Information

#### Latch Reversal:

Remove allen key in side of latch / case.

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:

### Additional Extras

#### Door Handles - Lever/Lever:

MPL178 - G/PC/W/B

#### Door Handles - Lever/Pad:

MPL454 - W/G/PC

#### Door Keeps / Strikes:

1 x Latch Keep - MPL144


1 x Deadbolt Keeps (Pair) - MPL476

1 x Hook Keeps (Pair) - MPL476

# GU

## 4 Roller

Part No	Backset	Centres/PZ	Faceplate	Spindle
MPL52	28mm	92mm	16mm Flat	Single (8mm)
MPL54	35mm	92mm	16mm Flat	Single (8mm)
MPL523	35mm	92mm	16mm Flat	Split Single (8mm)
MPL630	45mm	92mm	16mm Flat	Single (8mm)



### Additional Information

#### Latch Reversal:

Push flat headed screw driver into slot on side of case.

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:

### Additional Extras

#### Door Handles - Lever/Lever:

MPL171 - B/G/PC/W

#### Door Handles - Lever/Pad:

MPL453 - G/W/PC

#### Door Keeps / Strikes:

1 x GU Latch & DB Keep LH -

MPL621LH

1 x GU Latch & DB Keep RH -

MPL621RH


4 x Roller Keep - MPL148



# GU

## 3 Deadbolt (1225mm Centres)

Part No	Backset	Centres/PZ	Faceplate	Spindle
MPL44	28mm	92mm	16mm Flat	Single (8mm)
MPL46	35mm	92mm	16mm Flat	Single (8mm)
G1876122	45mm	92mm	16mm Flat	Single (8mm)



### Additional Information

#### Latch Reversal:

Push flat headed screw driver into slot on side of case.

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:

### Additional Extras

#### Door Handles - Lever/Lever:

MPL171 - B/G/PC/W

#### Door Handles - Lever/Pad:

MPL453 - G/W/PC

#### Door Keeps / Strikes:

1 x GU Latch & DB Keep LH - MPL621LH

1 x GU Latch & DB Keep RH - MPL621RH


1 x Deadbolt Keeps (Pair) - MPL476



# GU

## 3 Deadbolt (1610mm Centres)

Part No	Backset	Centres/PZ	Faceplate	Spindle
MPL521	28mm	92mm	16mm Flat	Single (8mm)
MPL522	35mm	92mm	16mm Flat	Single (8mm)
MPL521-45	45mm	92mm	16mm Flat	Single (8mm)



### Additional Information

#### Latch Reversal:

Push flat headed screw driver into slot on side of case.

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:

### Additional Extras

#### Door Handles - Lever/Lever:

MPL171 - B/G/PC/W

#### Door Handles - Lever/Pad:

MPL453 - G/W/PC

#### Door Keeps / Strikes:

1 x GU Latch & DB Keep LH -

MPL621LH

1 x GU Latch & DB Keep RH -


MPL621RH 1 x Deadbolt Keeps (Pair)

- MPL476

# GU

## 2 Hook

Part No	Backset	Centres/PZ	Faceplate	Spindle
MPL48	28mm	92mm	16mm Flat	Single (8mm)
MPL525	28mm	92mm	16mm Flat	Single Split (8mm)
MPL50	35mm	92mm	16mm Flat	Single (8mm)
MPL526	35mm	92mm	16mm Flat	Single Split (8mm)
MPL631	45mm	92mm	16mm Flat	Single (8mm)



### Additional Information

#### Latch Reversal:

Push flat headed screw driver into slot on side of case.

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:

### Additional Extras

#### Door Handles - Lever/Lever:

MPL171 - B/G/PC/W

#### Door Handles - Lever/Pad:

MPL453 - G/W/PC

#### Door Keeps / Strikes:

1 x GU Latch & DB Keep LH-  
MPL621LH

1 x GU Latch & DB Keep RH-  
MPL621RH


1 x Hook Keeps (Pair) - MPL476



# GU

## 2 Hook 2 Roller (1225mm Centres)

Part No	Backset	Centres/PZ	Faceplate	Spindle
MPL632-28	28mm	92mm	16mm Flat	Single (8mm)
MPL632	35mm	92mm	16mm Flat	Single (8mm)
MPL632-45	45mm	92mm	16mm Flat	Single (8mm)



### Additional Information

#### Latch Reversal:

Push flat headed screw driver into slot on side of case.

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:

### Additional Extras

#### Door Handles - Lever/Lever:

MPL171 - B/G/PC/W

#### Door Handles - Lever/Pad:

MPL453 - G/W/PC

#### Door Keeps / Strikes:

1 x GU Latch & DB Keep LH -

MPL621LH

1 x GU Latch & DB Keep RH -

MPL621RH

1 x Hook Keeps (Pair)- MPL476


2 x Roller Keeps - MPL148



# GU

## 2 Hook 2 Roller (1490mm Centres)

Part No	Backset	Centres/PZ	Faceplate	Spindle
MPL633-28	28mm	92mm	16mm Flat	Single (8mm)
MPL633	35mm	92mm	16mm Flat	Single (8mm)
MPL633-45	45mm	92mm	16mm Flat	Single (8mm)



### Additional Information

#### Latch Reversal:

Push flat headed screw driver into slot on side of case.

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:

### Additional Extras

#### Door Handles - Lever/Lever:

MPL171 - B/G/PC/W

#### Door Handles - Lever/Pad:

MPL453 - G/W/PC

#### Door Keeps / Strikes:

1 x GU Latch & DB Keep LH - MPL621LH

1 x GU Latch & DB Keep RH - MPL621RH

1 x Hook Keeps (Pair) - MPL476


2 x Roller Keeps - MPL148



# GU

## 2 Hook 4 Roller (1225mm Centres)

Part No	Backset	Centres/PZ	Faceplate	Spindle
MPL634-28	28mm	92mm	16mm Flat	Single (8mm)
MPL634	35mm	92mm	16mm Flat	Single (8mm)
MPL634-45	45mm	92mm	16mm Flat	Single (8mm)



### Additional Information

#### Latch Reversal:

Push flat headed screw driver into slot on side of case.

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:

### Additional Extras

#### Door Handles - Lever/Lever:

MPL171 - B/G/PC/W

#### Door Handles - Lever/Pad:

MPL453 - G/W/PC

#### Door Keeps / Strikes:

1 x GU Latch & DB Keep LH -

MPL621LH

1 x GU Latch & DB Keep RH -

MPL621RH

1 x Hook Keeps (Pair)- MPL476


4 x Roller Keeps - MPL148



# GU

## 2 Hook 4 Roller (1490mm Centres)

Part No	Backset	Centres/PZ	Faceplate	Spindle
MPL635-28	28mm	92mm	16mm Flat	Single (8mm)
MPL635	35mm	92mm	16mm Flat	Single (8mm)
MPL635-45	45mm	92mm	16mm Flat	Single (8mm)



### Additional Information

#### Latch Reversal:

Push flat headed screw driver into slot on side of case.

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:

### Additional Extras

#### Door Handles - Lever/Lever:

MPL171 - B/G/PC/W

#### Door Handles - Lever/Pad:

MPL453 - G/W/PC

#### Door Keeps / Strikes:

1 x GU Latch & DB Keep LH - MPL621LH

1 x GU Latch & DB Keep RH - MPL621RH

1 x Hook Keeps (Pair) - MPL476


4 x Roller Keeps - MPL148



# GU

## 2 Hook (Short - 990mm Centres)

Part No	Backset	Centres/PZ	Faceplate	Spindle
MPL500-28	28mm	92mm	16mm Flat	Single (8mm)
MPL500	35mm	92mm	16mm Flat	Single (8mm)
MPL500-45	45mm	92mm	16mm Flat	Single (8mm)



### Additional Information

#### Latch Reversal:

Push flat headed screw driver into slot on side of case.

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:

### Additional Extras

#### Door Handles - Lever/Lever:

MPL171 - B/G/PC/W

#### Door Handles - Lever/Pad:

MPL453 - G/W/PC

#### Door Keeps / Strikes:

1 x GU Latch & DB Keep LH -

MPL621LH

1 x GU Latch & DB Keep RH -

MPL621RH


1 x Hook Keeps (Pair) - MPL476



# GU Tripac

## 2 Small Hooks

Part No	Backset	Centres/PZ	Faceplate	Spindle
MPL488	40mm	92mm	16mm Flat	Single (8mm)
MPL465	45mm	92mm	16mm Flat	Single (8mm)



### Additional Information

#### Latch Reversal:

Push flat headed screw driver into slot on side of case.

#### Operation:

Lever / Lever

#### Handy Tips:

### Additional Extras

#### Door Handles - Lever/Lever:

MPL171 - B/G/PC/W

#### Door Handles - Lever/Pad:

MPL453 - G/W/PC

#### Door Keeps / Strikes:

1 x GU Latch & DB Keep LH - MPL621LH


1 x GU Latch & DB Keep RH - MPL621RH

1 x Hook Keeps (Pair) - MPL476

# GU Tripac

## 2 Small Hooks

Part No	Backset	Centres/PZ	Faceplate	Spindle
MPL159	40mm	70mm	20mm Flat	Single (7mm)
MPL160	50mm	70mm	20mm Flat	Single (7mm)



### Additional Information

#### Latch Reversal:

Push flat headed screw driver into slot on side of case.

#### Operation:

Lever / Lever

#### Handy Tips:

### Additional Extras

#### Door Handles - Lever/Lever:

MPL173 - G/S/W/B

#### Door Keeps / Strikes:

1 x GU Latch & DB Keep LH -

MPL621LH

1 x GU Latch & DB Keep RH -

MPL621RH

1 x Hook Keeps (Pair) - MPL476

# GU

## Old Style Centre Case

Part No	Backset	Centres/PZ	Deadbolt / Hook	Spindle
MPL-GU-28	28mm	92mm	Deadbolt	Single 8mm
MPL564-SS	35mm	92mm	Deadbolt	Single Split 8mm
MPL564	35mm	92mm	Deadbolt	Single 8mm



### Additional Information

#### Latch Reversal:

Latch rotates round.

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:

Replaces all old style GU centre cases - only available in 35mm.

### Additional Extras

#### Door Handles - Lever/Lever:

MPL171 - B/G/PC/W

#### Door Handles - Lever/Pad:

MPL453 - G/W/PC

#### Door Keeps / Strikes:

1 x GU Latch & DB Keep LH -

MPL621LH

1 x GU Latch & DB Keep RH -

MPL621RH

# GU

## New Style Centre Case

Part No	Backset	Centres/PZ	Deadbolt / Hook	Spindle
GU-NEW-28	28mm	92mm	Deadbolt	Single 8mm
GU-NEW-35	35mm	92mm	Deadbolt	Single 8mm
GU-NEW-40	40mm	92mm	Deadbolt	Single 8mm
GU-NEW-45	45mm	92mm	Deadbolt	Single 8mm



### Additional Information

#### Latch Reversal:

Flat headed screw driver in slot and pull latch out.

#### Operation:

Lever / Lever

#### Handy Tips:

### Additional Extras

#### Door Handles - Lever/Lever:

MPL171 - B/G/PC/W

#### Door Handles - Lever/Pad:

MPL453 - G/W/PC

#### Door Keeps / Strikes:

1 x GU Latch & DB Keep LH - MPL621LH

1 x GU Latch & DB Keep RH - MPL621RH

# Gibbons

## Centre Case

Part No	Backset	Centres/PZ	Snib	Spindle
MPL40	30mm	48mm / 85mm	With snib	Double 8mm
MPL41	30mm	48mm / 85mm	Without snib	Double 8mm



### Additional Information

**Latch Reversal:**

**Operation:**

Lever / Lever or Lever/Pad

**Handy Tips:**

Deadbolts can connect to top and bottom sliders. Commonly used in aluminium doors. Lowe 48mm spindle most commonly used.

### Additional Extras

**Door Handles - Lever/Lever:**

MPL174 - G/W

**Door Handles - Lever/Pad:**

**Door Keeps / Strikes:**

1 x Latch Keep - MPL144

1 x Deadbolt Keeps (Pair) - MPL476


The image displays three views of a metal door lock assembly. The top view shows the internal mechanism with a keyhole and a handle. The front view shows the lock body with a handle and a keyhole. The bottom view shows the internal mechanism with a keyhole and a handle. The lock is made of metal and has a handle on the right side. The handle has a keyhole and a small hole. The lock body has a handle and a keyhole. The lock is mounted on a door.

We are able to source a replacement centre case however.

# Gridlock

## Centre Case

Part No	Backset	Centres/PZ	Deadbolt / Hook	Spindle
GRIDLOCK45	45mm	92mm/62mm	Deadbolt	Double 8mm



### Additional Information

**Latch Reversal:**

**Operation:**

Lever / Lever

**Handy Tips:**


This replacement Gridlock latch and deadbolt gearbox has a 45mm backset, twin spindle and 92mm/62mm centres and is designed to suit E, P and C locks.

### Additional Extras

# Kenrick

## Centre Case

Part No	Backset	Centres/PZ	Faceplate	Spindle
KENRICKCASE	35mm	92mm/62mm	16mm Flat	Double (8mm)



### Additional Information

**Latch Reversal:**  
Screw on latch

**Operation:**  
Lever / Lever

**Handy Tips:**

### Additional Extras

# KFV

## 2 Shootpins



Part No	Backset	Centres/PZ	Faceplate	Spindle
AS435035	35mm	92mm	16mm Flat	Single (8mm)
AS435040	35mm	92mm	16mm Flat	Single (8mm)
AS435045	45mm	92mm	16mm Flat	Single (8mm)

### Additional Information

#### Latch Reversal:


Depending on date of manufacture either:  
Push the serrated button at the top of the lock case down while simultaneously pulling out the latch. Remove to reverse and reinsert.

Push in the latch and undo the screw in the back of the lockcase. Remove the latch and reverse. Push in the latch and undo the screw in the side of lockcase to remove the latch. reverse and reinsert.

#### Operation:

Lever / Lever

#### Handy Tips:





# KFV

## 2 Hook 2 Roller

Part No	Backset	Centres/PZ	Faceplate	Spindle
AS492135	35mm	92mm	16mm Flat	Single (8mm)
AS4921SS35	35mm	92mm	16mm Flat	Split (8mm)

### Additional Information

#### Latch Reversal:


Depending on date of manufacture either- Push in the latch and undo the screw in the back of the lock case, remove the latch, reverse and reinsert. Push in the latch and undo the screw in the side of the lock case to remove the latch, reverse and reinsert.. Night.

The hole in the side of the case adjacent to the latch contains a small screw. Depending on which side the function is set, turn the screw clockwise or anti clockwise until it stops to reverse the nightlatch function.

#### Operation:

Lever / Lever or Lever/Pad


#### Handy Tips:



# KFV

## 4 Roller

Part No	Backset	Centres/PZ	Faceplate	Spindle
AS435035	25mm	92mm	16mm Flat	Single (8mm)
AS405030	30mm	92mm	16mm Flat	Single (8mm)
AS405035	35mm	92mm	16mm Flat	Single (8mm)
AS405040	40mm	92mm	16mm Flat	Single (8mm)
AS405045	45mm	92mm	16mm Flat	Single (8mm)
AS4050UR35	35mm	92mm	U Rail 24mm	Single 8mm



### Additional Information

#### Latch Reversal:

Depending on date of manufacture either:  
Push the serrated button at the top of the lock case down while simultaneously pulling out the latch. Remove to reverse and reinsert.

Push in the latch and undo the screw in the back of the lockcase. Remove the latch and reverse. Push in the latch and undo the screw in the side of lockcase to remove the latch. reverse and reinsert.

#### Operation:

Lever / Lever

#### Handy Tips:


### Additional Extras



# Lockmaster / Mila Master

2 Hook 2 Roller 2 Anti-Lift (1040mm Centres)

Part No	Backset	Centres/PZ	Faceplate	Spindle
MPL676	35mm	92mm	16mm Flat	Single (8mm)
MPL636	35mm	92mm / 62mm	16mm Flat	Double (8mm)



## Additional Information

### Latch Reversal:

Remove screw in centre of latch.

### Operation:

Lever / Lever or Lever/Pad

### Handy Tips:

## Additional Extras

### Door Handles - Lever/Lever:

MPL178 - G/PC/W/B

### Door Handles - Lever/Pad:

MPL454 - W/G/PC

### Door Keeps / Strikes:

1 x Latch Keep - MPL144


2 x Deadbolt Keeps (Pair) - MPL476

2 x Roller Keep - MPL148

# Lockmaster / Mila Master

2 Hook 2 Roller 2 Anti-Lift (1490mm Centres)

Part No	Backset	Centres/PZ	Faceplate	Spindle
MPL637	35mm	92mm	16mm Flat	Single (8mm)
MPL638	35mm	92mm / 62mm	16mm Flat	Double (8mm)



## Additional Information

### Latch Reversal:

Remove screw in centre of latch.

### Operation:

Lever / Lever or Lever/Pad

### Handy Tips:

## Additional Extras

### Door Handles - Lever/Lever:

MPL178 - G/PC/W/B

### Door Handles - Lever/Pad:

MPL454 - W/G/PC

### Door Keeps / Strikes:

1 x Latch Keep - MPL144

2 x Deadbolt Keeps (Pair) - MPL476


2 x Roller Keep - MPL148



# Lockmaster / Mila Master

2 Hook 4 Roller 2 Anti-Lift (1490mm Centres)

Part No	Backset	Centres/PZ	Faceplate	Spindle
MPL537	35mm	92mm	16mm Flat	Single (8mm)
MPL639	35mm	92mm / 62mm	16mm Flat	Double (8mm)



## Additional Information

### Latch Reversal:

Remove screw in centre of latch.

### Operation:

Lever / Lever or Lever/Pad

### Handy Tips:

## Additional Extras

### Door Handles - Lever/Lever:

MPL178 - G/PC/W/B

### Door Handles - Lever/Pad:

MPL454 - W/G/PC


### Door Keeps / Strikes:

- 1 x Latch Keep - MPL144
- 2 x Deadbolt Keeps (Pair) - MPL476
- 4 x Roller Keep - MPL148

# Lockmaster / Mila Master

## 2 Hook (U-Rail)

Part No	Backset	Centres/PZ	Faceplate	Spindle
LM25544FP	45mm	92mm / 62mm	44mm U Rail	Double (8mm)
LM25544FPBW	45mm	92mm / 62mm	44mm U Rail	Double (8mm)



### Additional Information

#### Latch Reversal:

Undo the screw or screws (depending on the model) in the latch to remove. Reverse, reinsert and replace screw(s).

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:

### Additional Extras

Door Handles - Lever/Lever:


Door Handles - Lever/Pad:

Door Keeps / Strikes:

# Lockmaster / Mila Master

2 Hook 2 Roller 2 Anti-Lift (Inbound Rollers)

Part No	Backset	Centres/PZ	Faceplate	Spindle
LM335S	35mm	92mm	16mm Flat	Single (8mm)
LM335	35mm	92mm / 62mm	16mm Flat	Double (8mm)



## Additional Information

### Latch Reversal:

Undo the screw or screws (depending on the model) in the latch to remove. Reverse, reinsert and replace screw(s).

### Operation:

Lever / Lever or Lever/Pad

### Handy Tips:

## Additional Extras

Door Handles - Lever/Lever:


Door Handles - Lever/Pad:

Door Keeps / Strikes:

# Lockmaster / Mila Master

## 3 Deadbolt

Part No	Backset	Centres/PZ	Faceplate	Spindle
MPL74	35mm	92mm	16mm Flat	Single (8mm)
MPL640	35mm	92mm / 62mm	16mm Flat	Double (8mm)
MPL75	45mm	92mm	16mm Flat	Single (8mm)
MPL641	45mm	92mm / 62mm	16mm Flat	Double (8mm)



### Additional Information

#### Latch Reversal:

Remove screw in centre of latch.

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:

### Additional Extras

#### Door Handles - Lever/Lever:

MPL178 - G/PC/W/B

#### Door Handles - Lever/Pad:

MPL454 - W/G/PC

#### Door Keeps / Strikes:


1 x Latch Keep - MPL144

2 x Deadbolt Keeps (Pair) - MPL476

# Lockmaster / Mila Master

## Centre Case

Part No	Backset	Centres/PZ	Deadbolt / Hook	Spindle
MPL429	35mm	92mm	Deadbolt	Single (8mm)
MPL642	35mm	92mm / 62mm	Deadbolt	Double (8mm)
MPL439	45mm	92mm	Deadbolt	Single (8mm)
MPL643	45mm	92mm / 62mm	Deadbolt	Double (8mm)
MPL644	35mm	92mm / 62mm	Hook	Double (8mm)



### Additional Information

#### Latch Reversal:

Remove screw in latch.

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:

### Additional Extras

#### Door Handles - Lever/Lever:

MPL178 - G/PC/W/B

#### Door Handles - Lever/Pad:

MPL454 - W/G/PC


#### Door Keeps / Strikes:

1 x Latch Keep - MPL144

1 x Deadbolt Keeps (Pair) - MPL476

# Lockmaster Slave Lock

Part No	Backset	Centres/PZ	Faceplate	Spindle
LMSLAVE35	35mm	92mm / 62mm	16mm Flat	Double (8mm)
LMSLAVE35S	35mm	92mm	16mm Flat	Single (8mm)



## Additional Information

### Latch Reversal:

Remove screw in centre of latch.

### Operation:

Lever / Lever or Lever/Pad

### Handy Tips:


This lock is used on the slave of a pair of French doors. It is available in both single (sprung) and double (unsprung) versions.

## Additional Extras

# Maco

## Centre Case (New Style)

Part No	Backset	Centres/PZ	Deadbolt / Hook	Spindle
MACO-GB-35	35mm	92mm	Deadbolt	Single (8mm)



### Additional Information

#### Latch Reversal:


Push button on side of case and pull latch

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:

Maco have used this type of gearbox on their new type door locks since approx Mid 2010 and have updated the gearing system to suit.




### Additional Extras

Multipoint Locks

# Maco

## Centre Case (Old Style)

Part No	Backset	Centres/PZ	Faceplate	Spindle
MACOCASE28OLD	28mm	92mm	16mm Flat	Single (8mm)
MACOCASE35	35mm	92mm	16mm Flat	Single (8mm)



### Additional Information

#### Latch Reversal:

Remove screw in centre of latch.

#### Operation:

Lever / Lever

#### Handy Tips:

This Maco gearbox mk3 has an 8mm single spindle, a 35mm backset and 92mm centres. Old style locks are not interchangeable with newer versions so please examine the photographs carefully.

Please be aware that there have been 4 different styles of maco case and they do not interchange with each other. If you are unsure it is recommended that you purchase a new full length maco multipoint rather than a case only.

### Additional Extras

# Maco

## Centre Case (MK5)

Part No	Backset	Centres/PZ	Deadbolt / Hook	Spindle
MACOCASE35CTS	35mm	92mm	Deadbolt	Split (8mm)



### Additional Information

#### Latch Reversal:

Push button on side of case and pull latch

#### Operation:

Lever / Lever or Lever / Pad

#### Handy Tips:

This Maco gearbox mk5 has an 8mm split spindle, a 35mm backset and 92mm centres. Old style locks are not interchangeable with newer versions so please examine the photographs carefully.

Please be aware that there have been 4 different styles of maco case and they do not interchange with each other. If you are unsure it is recommend that you purchase a new full length maco multipoint rather than a case only.


### Additional Extras



# Maco

## 2 Hook 2 Roller

Part No	Backset	Centres/PZ	Faceplate	Spindle
MPL3271	35mm	92mm	16mm Flat	Single (8mm)
OBSOLETE	35mm	92mm	16mm Flat	Single Split (8mm)



### Additional Information

#### Latch Reversal:

Push in button on side of case, pull latch out (may need pliers).

#### Operation:


Lever / Lever or Lever/Pad

#### Handy Tips:

# Maco

## 4 Roller

Part No	Backset	Centres/PZ	Faceplate	Spindle
MPL509	28mm	92mm	16mm Flat	Single (8mm)
MPL645	35mm	92mm	16mm Flat	Single (8mm)
OBSOLETE	45mm	92mm	16mm Flat	Single (8mm)



### Additional Information

#### Latch Reversal:

Push in button on side of case, pull latch out (may need pliers).

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:

### Additional Extras

#### Door Handles - Lever/Lever:

MPL171 - B/G/PC/W

#### Door Handles - Lever/Pad:

MPL453 - G/W/PC


#### Door Keeps / Strikes:

- 1 x Latch Keep - MPL144
- 1 x Deadbolt Keeps (Pair) - MPL476
- 4 x Roller Keep - MPL148

# Mila

## Centre Case

Part No	Backset	Centres/PZ	Deadbolt / Hook	Spindle
MPL723	25mm	92mm	Deadbolt - <b>Latch Only</b>	Single Split 8mm
MPL647	28mm	92mm	Deadbolt - <b>Latch Only</b>	Single Split 8mm
MPL648	35mm	92mm	Deadbolt - <b>Latch Only</b>	Single Split 8mm
<b>OBSELETE</b>	45mm	92mm	Deadbolt - <b>Latch Only</b>	Single Split 8mm
MPL92	35mm	92mm	Latch & Deadbolt	Single Split 8mm
MPL91	35mm	92mm / 62mm	Latch & Deadbolt	Double 8mm



### Additional Information

#### Latch Reversal:

Remove Phillips screws on side of centre case.

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:

### Additional Extras

#### Door Handles - Lever/Lever:

MPL171 - B/G/PC/W

#### Door Handles - Lever/Pad:

N/A

#### Door Keeps / Strikes:

1 x Latch Keep - MPL144

1 x Deadbolt Keeps (Pair) - MPL476

# Mila Evolution

## Centre Case

Part No	Backset	Centres/PZ	Deadbolt / Hook	Spindle
MPL459	35mm	92mm	Deadbolt	Single 8mm
MPL650	35mm	92mm	Deadbolt	Single Split 8mm



### Additional Information

#### Latch Reversal:

Screw at rear of lock case.

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:

Split spindle hand reversed by small machine screw on side of case next to spindle on SS versions only.

### Additional Extras

#### Door Handles - Lever/Lever:

MPL171 - B/G/PC/W

#### Door Handles - Lever/Pad:

MPL453 - G/W/PC

#### Door Keeps / Strikes:

1 x Latch Keep - MPL144


1 x Deadbolt Keeps (Pair) - MPL476



# Millenco Mantis 1

## 3 Hook 2 Deadbolt

Part No	Backset	Centres/PZ	Faceplate	Spindle
MPL102	35mm	117mm / 85mm	16mm Flat	Double (8mm)



### Additional Information

#### Latch Reversal:

Remove screw in latch.

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:

Only use 40mm euro screw! Longer screw stops lock from operating.

### Additional Extras

#### Door Handles - Lever/Lever:

MPL501 - W/G

#### Door Handles - Lever/Pad:


Obsolete

#### Door Keeps / Strikes:

# Millenco Mantis 1

## 3 Hook 2 Deadbolt 2 Roller

Part No	Backset	Centres/PZ	Faceplate	Spindle
MPL651	35mm	117mm / 85mm	16mm Flat	Double (8mm)



### Additional Information

#### Latch Reversal:

Remove screw in latch.

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:

Only use 40mm euro screw! Longer screw stops lock from operating.

### Additional Extras

#### Door Handles - Lever/Lever:

MPL501 - W/G

#### Door Handles - Lever/Pad:


Obsolete

#### Door Keeps / Strikes:

# Millenco

## 4 Roller

Part No	Backset	Centres/PZ	Faceplate	Spindle
MPL557	35mm	117mm / 85mm	16mm Flat	Double (8mm)



### Additional Information

#### Latch Reversal:

Remove screw in latch.

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:

Only use 40mm euro screw! Longer screw stops lock from operating.

### Additional Extras

#### Door Handles - Lever/Lever:

MPL501 - W/G

#### Door Handles - Lever/Pad:


Obsolete

#### Door Keeps / Strikes:

# Millenco Mantis 2

## 3 Hook 2 Deadbolt

Part No	Backset	Centres/PZ	Faceplate	Spindle
MPL652-550	35mm	95mm / 65mm	16mm Flat	Double (8mm)
MPL652-650	35mm	95mm / 65mm	16mm Flat	Double (8mm)



### Additional Information

#### Latch Reversal:

Remove screw in latch.

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:

### Additional Extras

Door Handles - Lever/Lever:  
Special order.


Door Handles - Lever/Pad:

Door Keeps / Strikes:

# Millenco Mantis 2

## 3 Hook 2 Deadbolt 2 Roller

Part No	Backset	Centres/PZ	Faceplate	Spindle
MPL653	35mm	95mm / 65mm	16mm Flat	Double (8mm)



### Additional Information

#### Latch Reversal:

Remove allen key in side of latch / case.

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:

Has serrated teeth for shootbolts.

### Additional Extras

**Door Handles - Lever/Lever:**  
Special order.

**Door Handles - Lever/Pad:**

**Door Keeps / Strikes:**

Technical drawing of a mechanical assembly, likely a pump or motor component, showing a side view with dimensions in millimeters. The drawing includes a central shaft with a pulley and a motor housing. Key dimensions are labeled:


- Overall length: 2200
- Distance from left end to motor housing: 1020
- Distance from motor housing to pulley: 550
- Distance from pulley to right end: 550
- Motor housing width: 228
- Motor housing internal width: 92
- Motor housing internal width (lower section): 30
- Motor housing internal width (lower section): 35
- Motor housing internal width (lower section): 50

**Door Keeps / Strikes:**

# Millenco Mantis 3

## 3 Hook 2 Deadbolt 2 Roller

Part No	Backset	Centres/PZ	Faceplate	Spindle
MP655	35mm	92mm/ 62mm	16mm Flat	Double (8mm)



### Additional Information

#### Latch Reversal:

Remove screw in latch.

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:

Has serrated teeth for shootbolts.

### Additional Extras

#### Door Handles - Lever/Lever:

MPL178 - G/PC/W/B

#### Door Handles - Lever/Pad:


MPL454 - W/G/PC

#### Door Keeps / Strikes:

# Millenco

## Mantis 1 Slave Lock

Part No	Backset	Centres/PZ	Faceplate	Spindle
MILLSLAVE	35mm	117mm	16mm Flat	Single (8mm)



### Additional Information

**Latch Reversal:**

**Operation:**  
Slave Lock


#### Handy Tips:

The slave lock version of the original Mantis 1 featuring 117mm centres for use on French doors. Please note that shootbolts are no longer available for this lock and you should retain the originals.

# Millenco

## Mantis 2 Slave Lock

Part No	Backset	Centres/PZ	Faceplate	Spindle
MA1002SLAVE	35mm	95mm	16mm Flat	Double (8mm)



### Additional Information

**Latch Reversal:**

**Operation:**  
Slave Lock


#### Handy Tips:

This Mantis 2 slave lock features 95mm centres and is for use on the slave door of a pair of French doors. Please note that shootbolts to suit this lock have been discontinued so please retain the original items.

# Millenco

## Mantis 3 Slave Lock

Part No	Backset	Centres/PZ	Faceplate	Spindle
MA80011SA	35mm	92mm	16mm Flat	Single (8mm)



### Additional Information

**Latch Reversal:**

**Operation:**  
Slave Lock


**Handy Tips:**

This Mantis 2 slave lock features 95mm centres and is for use on the slave door of a pair of French doors. Please note that shootbolts to suit this lock have been discontinued so please retain the original items.

# Roto

## 2 Hook 2 Mushroom

Part No	Backset	Centres/PZ	Faceplate	Spindle
633417	35mm	92mm	16mm Flat	Single (8mm)



### Additional Information

#### Latch Reversal:

Insert an allen key into the small hole above the latch. Push all the way through and press down to release the latch. Remove the latch reverse and reinsert.

#### Operation:

Lever/Lever


#### Handy Tips:

The H600 is Roto's latest lock and this version will replace older 2 hook, 2 roller Roto locks although keeps may need to be repositioned. Please note that Roto refer to their mushrooms as V-cams.

# Roto

## Centre Section (New)

Part No	Backset	Centres/PZ	Faceplate	Spindle
OBSOLETE	28mm	92mm	16mm Flat	Double (8mm)
OBSOLETE	35mm	92mm	16mm Flat	Double (8mm)



### Additional Information

#### Latch Reversal:

Remove screw in latch.

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:

### Additional Extras


We recommend using the Versa MPL replacement found on page 8 in place of this lock.



# Roto

## 2 Hook 2 Sliders

Part No	Backset	Centres/PZ	Faceplate	Spindle
OBSOLETE	35mm	92mm/ 62mm	16mm Flat	Double (8mm)



### Additional Information

#### Latch Reversal:

Remove screw in latch.

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:


This lock is now obsolete. The H600 is Roto's latest lock and this version will replace older 2 hook, 2 roller Roto locks although keeps may need to be repositioned..



# Roto

## 2 Hook

Part No	Backset	Centres/PZ	Faceplate	Spindle
MPL788	35mm	92mm/ 62mm	16mm Flat	Double (8mm)



### Additional Information

#### Latch Reversal:

Remove screw in latch.

#### Operation:


Lever / Lever or Lever/Pad

#### Handy Tips:

# Safeware

## 3 Hook 4 Roller

Part No	Backset	Centres/PZ	Faceplate	Spindle
MPL477	35mm	92mm/ 62mm	16mm Flat	Double (8mm)



### Additional Information

#### Latch Reversal:

Remove screw in latch.

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:

### Additional Extras

#### Door Handles - Lever/Lever:

MPL178 - G/PC/W/B

#### Door Handles - Lever/Pad:

MPL454 - W/G/PC

#### Door Keeps / Strikes:

Technical drawing of a three-sectioned metal plate. The overall length is 2200. The first section on the left is 1010 long. The middle section is 650 long. The third section on the right is 650 long. The plate has a thickness of 35. The middle section contains a central rectangular area with a width of 92 and a height of 30. The total width of the plate is 253. The drawing includes break lines to indicate that the plate is longer than shown.


**Door Keeps / Strikes:**



# Cego Surelock (New)

## 2 Hook 2 Roller

Part No	Backset	Centres/PZ	Faceplate	Spindle
This product is shown for reference only as it is now obsolete.				
Only the centre case can be replaced on these locks - please use MPL108.				



### Additional Information

#### Latch Reversal:

Remove 2 screws in latch.

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:

Was available in 16mm and 20mm versions.

### Additional Extras

#### Door Handles - Lever/Lever:

MPL171 - B/G/PC/W

#### Door Handles - Lever/Pad:


MPL453 - G/W/PC

#### Door Keeps / Strikes:

# Cego Surelock (Old)

## Centre Case

Part No	Backset	Centres/PZ	Deadbolt / Hook	Spindle	Hand
MPL600-LH	35mm	92mm / 70mm	Deadbolt	Double 8mm	LH
MPL600-RH	35mm	92mm / 70mm	Deadbolt	Double 8mm	RH
OBSOLETE	35mm	92mm / 70mm	Hook	Double 8mm	LH
OBSOLETE	35mm	92mm / 70mm	Hook	Double 8mm	RH



### Additional Information

#### Latch Reversal:

Must be bought handed.

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:

Full mechanism no longer available.  
Hook version of centre case is no longer available - you can use the deadbolt version in its place.

### Additional Extras

**Door Handles - Lever/Lever:**  
CEGOSL-DH

**Door Handles - Lever/Pad:**


**Door Keeps / Strikes:**



# UCEM

## 3 Deadbolt

Part No	Backset	Centres/PZ	Faceplate	Spindle
MPL492	50mm	85mm	20mm U Rail	Single (8mm)



### Additional Information

#### Latch Reversal:

Latch in rear of case.

#### Operation:

Key Wind

#### Handy Tips:

Few left in the country - UCEM have now stopped trading.

### Additional Extras

#### Door Handles - Lever/Lever:

MPL176 - G/BC/SC

#### Door Handles - Lever/Pad:


N/A

#### Door Keeps / Strikes:

# Vitawin

## 2 Hook 2 Roller

Part No	Backset	Centres/PZ	Faceplate	Spindle
<b>OBSOLETE</b>	35mm	92mm	16mm Flat	Single (8mm)



### Additional Information

#### Latch Reversal:

Pull latch out and twist round.

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:

Same hook positions as Maco 2 Hook 2 Roller.

### Additional Extras


#### Door Handles - Lever/Lever:

Please note that this lock is now obsolete.  
We would recommend using the VERSA Multi-Fit Replacement uPVC Door Lock

# Winkhaus Scorpion

## 3 Hook 2 Roller

Part No	Backset	Centres/PZ	Faceplate	Spindle
MPL118	35mm	92mm	16mm Flat	Split Single (8mm)



### Additional Information

#### Latch Reversal:

Screw on rear of case.

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:

\*\* CHECK HOOK POSITIONS ON DIAGRAM\*\*

### Additional Extras

#### Door Handles - Lever/Lever:

MPL171 - B/G/PC/W

#### Door Handles - Lever/Pad:

MPL453 - G/W/PC

#### Door Keeps / Strikes:

1 x Latch Keep - MPL144

2 x Hook Keeps (Pair) - MPL476


2 x Roller Keep - MPL148



# Winkhaus Cobra

## 4 Hook

Part No	Backset	Centres/PZ	Faceplate	Spindle
MPL657	30mm	92mm	16mm Flat	Split Single (8mm)
MPL117LH	35mm	92mm	16mm Flat	Split Single (8mm)
MPL117RH	35mm	92mm	16mm Flat	Split Single (8mm)
MPL658	45mm	92mm	16mm Flat	Split Single (8mm)
MPL659	55mm	92mm	16mm Flat	Split Single (8mm)



### Additional Information

**Latch Reversal:**  
Screw on rear of case.

**Operation:**  
Lever / Lever or Lever/Pad

**Handy Tips:**

### Additional Extras

**Door Handles - Lever/Lever:**  
MPL171 - B/G/PC/W

**Door Handles - Lever/Pad:**  
MPL453 - G/W/PC

**Door Keeps / Strikes:**  
1 x Latch Keep - MPL144  
1 x Deadbolt Keeps (Pair) - MPL476  
2 x Hook Keeps (Pair) - MPL476

# Winkhaus Cobra

## 2 Hook



Part No	Backset	Centres/PZ	Faceplate	Spindle
MPL115	35mm	92mm	16mm Flat	Split Single (8mm)
MPL660	35mm	92mm	20mm Flat	Split Single (8mm)
MPL116	45mm	92mm	16mm Flat	Split Single (8mm)
MPL661	45mm	92mm	20mm Flat	Split Single (8mm)
MPL164	45mm	92mm	20mm Radius	Split Single (8mm)
MPL662	55mm	92mm	16mm Flat	Split Single (8mm)
MPL165	55mm	92mm	20mm Radius	Split Single (8mm)

### Additional Information

#### Latch Reversal:

Screw on rear of case.

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:

### Additional Extras

#### Door Handles - Lever/Lever:

MPL171 - B/G/PC/W

#### Door Handles - Lever/Pad:


MPL453 - G/W/PC

#### Door Keeps / Strikes:

1 x Latch Keep - MPL144

1 x Deadbolt Keeps (Pair) - MPL476

1 x Hook Keeps (Pair) - MPL476




# Multipoint Locks

# Winkhaus Cobra

## 2 Hook (Keywind)

Part No	Backset	Centres/PZ	Faceplate	Spindle	Hand
1028067	35mm	92mm	Flat 16mm	Single 8mm	Right Hand
1028075	35mm	92mm	Flat 16mm	Single 8mm	Left Hand
1028661	45mm	92mm	Flat 16mm	Single 8mm	Right Hand
1028679	45mm	92mm	Flat 16mm	Single 8mm	Left Hand
2856742	55mm	92mm	Flat 16mm	Single 8mm	Right Hand
2856734	55mm	92mm	Flat 16mm	Single 8mm	Left Hand



### Additional Information

**Latch Reversal:**  
Handed.

**Operation:**  
Keywind

**Handy Tips:**


### Additional Extras



# Winkhaus Cobra

## Slave Lock

Part No	Backset	Centres/PZ	Faceplate	Spindle
2093896	35mm	92mm	16mm Flat	Split Single (8mm)
2945227	45mm	92mm	16mm Flat	Split Single (8mm)



### Additional Information

**Latch Reversal:**

**Operation:**  
Slave Lock


**Handy Tips:**

### Additional Extras

# Winkhaus

## 2 Hook (Short)

Part No	Backset	Centres/PZ	Faceplate	Spindle
MPL664	35mm	92mm	16mm Flat	Split Single (8mm)
MPL665	45mm	92mm	16mm Flat	Split Single (8mm)



### Additional Information

#### Latch Reversal:

Screw on rear of case.

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:

### Additional Extras

#### Door Handles - Lever/Lever:

MPL171 - B/G/PC/W

#### Door Handles - Lever/Pad:

MPL453 - G/W/PC

#### Door Keeps / Strikes:

1 x Latch Keep - MPL144

1 x Deadbolt Keeps (Pair) - MPL476


1 x Hook Keeps (Pair) - MPL476



# Winkhaus

## 2 Hook (French Door)

Part No	Backset	Centres/PZ	Faceplate	Spindle
MPL448	35mm	92mm	16mm Flat	Single (8mm)



### Additional Information

#### Latch Reversal:

Screw on rear of case.

#### Operation:

Lever / Lever

#### Handy Tips:

Has serrations for shootbolts top and bottom.

### Additional Extras

#### Door Handles - Lever/Lever:

MPL171 - B/G/PC/W

#### Door Handles - Lever/Pad:

MPL453 - G/W/PC

#### Door Keeps / Strikes:

1 x Latch Keep - MPL144

1 x Deadbolt Keeps (Pair) - MPL476


1 x Hook Keeps (Pair) - MPL476



# Winkhaus

## 2 Hook (French Door - Short)

Part No	Backset	Centres/PZ	Faceplate	Spindle
MPL666	35mm	92mm	16mm Flat	Single (8mm)



### Additional Information

**Latch Reversal:**  
Screw on rear of case.

**Operation:**  
Lever / Lever

**Handy Tips:**  
Has serrations for shootbolts top and bottom.

### Additional Extras

**Door Handles - Lever/Lever:**  
MPL171 - B/G/PC/W

**Door Handles - Lever/Pad:**  
MPL453 - G/W/PC

**Door Keeps / Strikes:**  
1 x Latch Keep - MPL144  
1 x Deadbolt Keeps (Pair) - MPL476  
1 x Hook Keeps (Pair) - MPL476

# Winkhaus

## 4 Roller

Part No	Backset	Centres/PZ	Faceplate	Spindle
MPL495T	35mm	92mm	16mm Flat	Split Single (8mm)



### Additional Information

#### Latch Reversal:

Screw on rear of case.

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:

Has serrations for shootbolts top and bottom.

### Additional Extras

#### Door Handles - Lever/Lever:

MPL171 - B/G/PC/W

#### Door Handles - Lever/Pad:

MPL453 - G/W/PC

#### Door Keeps / Strikes:

1 x Latch Keep - MPL144

1 x Deadbolt Keeps (Pair) - MPL476


4 x Roller Keep - MPL148



# Yale

## 3 Hook

Part No	Backset	Centres/PZ	Faceplate	Spindle
OBSOLETE	35mm	92mm/ 62mm	16mm Flat	Double (8mm)



### Additional Information

#### Latch Reversal:

Remove screw in latch.

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:

Please note that this full mechanism is now obsolete. We advise just replacing the centre gearbox which we do have available.

### Additional Extras

#### Door Handles - Lever/Lever:

MPL531 - G/W

#### Door Handles - Lever/Pad:

MPL456 - G/W/S

#### Door Keeps / Strikes:

1 x Latch Keep - MPL144


2 x Hook Keeps (Pair) - MPL476



# Yale

## G712 - 2 Deadbolts / 2 Hooks

Part No	Backset	Centres/PZ	Faceplate	Spindle
<p><b>This product is shown for reference only as it is now obsolete. However we do offer a direct replacement that fits straight in its place with minor modifications:</b></p> <p><b>35mm - MPL640 and 45mm - MPL641</b></p>				



### Additional Information

#### Latch Reversal:

Remove screw in latch.

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:

Was manufactured with deadbolts or hooks.

### Additional Extras

#### Door Handles - Lever/Lever:

MPL531 - G/W

#### Door Handles - Lever/Pad:


MPL456 - G/W/S

#### Door Keeps / Strikes:

# Yale

## 4 Roller (YS170)

Part No	Backset	Centres/PZ	Faceplate	Spindle
YS1354R	35mm	92mm	16mm Flat	Split 8mm



### Additional Information

#### Latch Reversal:

Undo the screw or screws (depending on the model) in the latch to remove. Reverse, reinsert and replace screw(s).

#### Operation:

Lift lever or split spindle nightlatch.


#### Handy Tips:

### Additional Extras

# Yale

## 3 Hooks (YS170)

Part No	Backset	Centres/PZ	Faceplate	Spindle
YS1353H20F	35mm	92mm	20mm Flat	Split 8mm
YS1453H20F	45mm	92mm	20mm Flat	Split 8mm



### Additional Information

#### Latch Reversal:

Undo the screw or screws (depending on the model) in the latch to remove. Reverse, reinsert and replace screw(s).

#### Operation:

Lift lever or split spindle nightlatch.


#### Handy Tips:

### Additional Extras

# Yale

## G2000 Centre Case

Part No	Backset	Centres/PZ	Faceplate	Spindle
MPL795	35mm	92mm/ 62mm	16mm Flat	Double (8mm)



### Additional Information

#### Latch Reversal:

Remove screw in latch.

#### Operation:

Lever / Lever or Lever/Pad

#### Handy Tips:

### Additional Extras

#### Door Handles - Lever/Lever:

MPL531 - G/W

#### Door Handles - Lever/Pad:

MPL456 - G/W/S

#### Door Keeps / Strikes:



Can't see the item you require in this catalogue?  
We stock a huge range of spares and repairs and  
can often source those difficult to find items!

Call us today on freephone **0800 197 6885** to  
find out more.



## Universal Roller Keep

Universal roller keep to suit most uPVC and composite door profiles.



## Flexi Hook / Deadbolt Keeps

MPL476


Pair of hook / deadbolt keeps designed to suit most door profiles.



## Fuhr Latch & DB Keep

MPL254LH | MPL254RH

Latch & Deadbolt keep to suit Fuhr mechanisms - right & left hand available.



## GU Latch & DB Keep

MPL621LH | MPL621RH

Latch & Deadbolt keep to suit GU mechanisms - right & left hand available.



### GU Hook / Deadbolt Keep

MPL601 - Hook MPL170 - Deadbolt

Single hook / deadbolt keep specifically to suit GU hooks and deadbolts.



### Latch Keep

MPL144

Latch keep to suit most latch only locks specifically the Ferco mechanisms.



### Avocet Full Length Keep

MPL132 - RH / LH

Full length Avocet 2 Hook 4 Roller keep to suit brass Avocet



### Lockmaster Full Keep

MPL132 - LH

Full length Lockmaster 2 Hook 4 Roller 2 Anti Lift keep



### Flexi Latch & DB Keep

FLEXI-CL-RH / FLEXI-CL-LH

Latch & Deadbolt keep to suit various mechanisms - right & left hand available.



### Timber Latch & DB Keep

MPL801

Latch and deadbolt keep to suit timber doors.



### VERSA Mushroom/Roller Keep

UNIRMKEEP

Universal keep to suit most mushrooms and rollers.



### VERSA Hook & Roller Keep

V-HRSTRIKE

A pair of universal hook and roller keeps designed to work with the V-MPL.



## **VERSA Latch & DB Keep**

### **VCENTSTRIKE**

Universal latch and deadbolt strike designed to work with all major multipoint lock brands



## VERSA Dual Finish Anti Snap Euro Cylinder

A quality euro cylinder which halves the number of cylinders that you need to hold in stock. Featuring 6 pins, anti pick, anti drill and anti snap at a competitive price, these cylinders save both room and money. Supplied with 5 keys.

Part No	Size
MPL186-303	30 / 30
MPL186-3535	35 / 35
MPL186-3540	35 / 40
MPL186-3545	35 / 45
MPL186-3555	35 / 55
MPL186-4040	40 / 40
MPL186-4045	40 / 45
MPL186-4050	40 / 50
MPL186-4055	40 / 55
MPL186-4060	40 / 60
MPL186-4545	45 / 45
MPL186-4550	45 / 50
MPL186-4555	45 / 55
MPL186-5050	50 / 50

## Thumb Turns

Part No	Size
MPL219-VERSA-TT-Dual-30T30	30 / 30
MPL219-VERSA-TT-Dual-35T35	35 / 35
MPL219-VERSA-TT-Dual-40T40	40 / 40
MPL219-VERSA-TT-Dual-40T45	40 / 45
MPL219-VERSA-TT-Dual-40T50	40 / 50
MPL219-VERSA-TT-Dual-40T55	40 / 55
MPL219-VERSA-TT-Dual-40T60	40 / 60
MPL219-VERSA-TT-Dual-45T45	45 / 45
MPL219-VERSA-TT-Dual-45T50	45 / 50
MPL219-VERSA-TT-Dual-45T55	45 / 55
MPL219-VERSA-TT-Dual-50T50	50 / 50



## VERSA Dual Finish Anti Snap Half Euro Cylinder

Part No	Size
MPL305-VERSA-30X10	30 / 10
MPL305-VERSA-35X10	35 / 10
MPL305-VERSA-40X10	40 / 10
MPL305-VERSA-45X10	45 / 10



## Brisant D Anti Snap Anti Pick Anti Drill Anti Bump

### Euro Cylinders

Part No	Size
MPL810-3030	30 / 30
MPL810-3535	35 / 35
MPL810-3540	35 / 40
MPL810-3545	35 / 45
MPL810-3550	35 / 50
MPL810-3555	35 / 55
MPL810-4040	40 / 40
MPL810-4045	40 / 45
MPL810-4050	40 / 50
MPL810-4055	40 / 55
MPL810-4060	40 / 60
MPL810-4545	45 / 45
MPL810-4550	45 / 50
MPL810-4555	45 / 55
MPL810-5050	50 / 50

### Thumb Turns

Part No	Size	Part No	Size
MPL811-30Tx30	30T / 30	MPL811-45Tx55	45T / 55
MPL811-35Tx35	35T / 35	MPL811-50Tx35	50T / 35
MPL811-35Tx40	35T / 40	MPL811-50Tx40	50T / 40
MPL811-35Tx45	35T / 45	MPL811-50Tx45	50T / 45
MPL811-35Tx50	35 T / 50	MPL811-50Tx50	50T / 50
MPL811-35Tx55	35T / 55	MPL811-55Tx35	55T / 55
MPL811-40Tx35	40T / 35	MPL811-55Tx40	55T / 40
MPL811-40Tx40	40T / 40	MPL811-55Tx45	55T / 45
MPL811-40Tx45	40T / 45	MPL811-60Tx40	60T / 40
MPL811-40Tx50	40T / 50		
MPL811-40Tx55	40T / 55		
MPL811-45Tx35	45T / 35		
MPL811-45Tx40	45T / 40		
MPL811-45Tx45	45T / 45		
MPL811-45Tx50	45T / 50		



## Brisant Ultion 3\* Cylinder

### Euro Cylinders

Part No	Size
DCBSU3030D	30 / 30
DCBSU3040D	30 / 40
DCBSU3050D	30 / 50
DCBSU3535D	35 / 35
DCBSU3540D	35 / 40
DCBSU3545D	35 / 45
DCBSU3550D	35 / 50
DCBSU3555D	35 / 55
DCBSU4040D	40 / 40
DCBSU4045D	40 / 45
DCBSU4050D	40 / 50
DCBSU4055D	40 / 55
DCBSU4060D	40 / 60
DCBSU4545D	45 / 45
DCBSU4550D	45 / 50
DCBSU4555D	45 / 55
DCBSU5050D	50 / 50

- TS007 3 Star
- Sold Secure SS312 Diamond
- 11 pins
- 12 hardened steel anti drill pins
- The most snap resistant cylinder

### Thumb Turns

Part No	Size	Part No	Size
DCBSU3030DT	30T / 30	DCBSU4050DT	40T / 50
DCBSU3535DT	35T / 35	DCBSU4055DT	40T / 55
DCBSU3540DT	35T / 40	DCBSU4060DT	40T / 60
DCBSU3545DT	35T / 45	DCBSU4545DT	45T / 45
DCBSU3550DT	35T / 50	DCBSU4550DT	45T / 50
DCBSU3555DT	35T / 55	DCBSU4555DT	45T / 60
DCBSU4040DT	40T / 40	DCBSU5050DT	50T / 50
DCBSU4045DT	40T / 45		



## Oval Cylinders

Available in a brass or nickle finish.  
All supplied with 3 keys and fixing screw.

Measurement from either side to fixing screw in mm.

### Double

Part No	Size
MPL216-3535-B/N	35 / 35
MPL216-4040-B/N	40 / 40
MPL216-4545-B/N	45 / 45
MPL216-5050-B/N	50 / 50

### Half

Part No	Size
MPL567-3010-B/N	30 / 10
MPL567-3510-B/N	35 / 10
MPL567-4510-B/N	45 / 10

### Thumb Turn

Part No	Size
MPL568-3535-B/N	35/35T


# uPVC Door Handle No 1

MPL171



**Available Finishes:**  
White, Gold, Polished  
Chrome, Black

**Spindle:** 8mm  
**Sprung:** No



# uPVC Door Handle No 2


MPL172



Often useful as  
a large repair  
handle to cover  
existing holes.

**Available Finishes:**  
Polished Chrome, Gold,  
White

**Spindle:** 8mm  
**Sprung:** Yes



## uPVC Door Handle No 3


MPL173



To suit Ferco mechanisms.

**Available Finishes:**  
Gold, Silver, White,  
Black

**Spindle: 7mm**  
**Sprung: No**



## uPVC Door Handle No 4


MPL174



Can also be used  
on aluminium  
doors.

**Available Finishes:**  
Gold, White

**Spindle: 8mm**  
**Sprung: Yes**



# uPVC Door Handle No 5


## MPL815



Avocet / WMS  
Door Handle

**Available Finishes:**  
White

**Spindle: 8mm**  
**Sprung: No**



# uPVC Door Handle No 6


## Obsolete



Suits UCEM  
mechanism.

**Available Finishes**  
Gold, Brushed Chrom  
Satin Chrome

**Spindle: 8mm**  
**Sprung: Yes**




## uPVC Door Handle No 7

Obsolete



**Available Finishes:**  
Gold, Chrome

**Spindle:** 8mm  
**Sprung:** Yes



## uPVC Door Handle No 8


MPL178



Usually used  
on Lockmaster  
mechanisms.

**Available Finishes:**  
Black, Polished  
Chrome, Gold, White

**Spindle:** 8mm  
**Sprung:** Yes



# uPVC Door Handle No 9


MPL179



Suits Fullex mechanisms.

**Available Finishes:**  
Gold, Silver, White

**Spindle:** 8mm  
**Sprung:** Yes




# uPVC Door Handle No 10

MPL180



**Available Finishes:**  
Polished Chrome,  
Polished Gold, White  
Black

**Spindle:** 8mm  
**Sprung:** Yes



# Mila Evolution High Security Handle

The Evolution high security door handle, manufactured from cast stainless steel, features an integrated cylinder guard and innovative anti-plug & anti-drill disc.

Reversible for left or right hand doors, the stylish Evolution high security door handle is available in stainless steel and gold stainless steel. The lever has been ergonomically designed for optimum comfort and ease of operation, including for the elderly and infirm, when in use.

## Guarantees & Accreditations

Mechanical Guarantee - 10 years

Secured by Design - Yes

Labour Guarantee - 2 years

Surface Finish Guarantee (PVD) - 10 years

## Available Finishes

Polished Gold PVD, Polished Stainless Steel PVD, Satin Stainless Steel

8mm Spindle - Sprung

The handle offers protection against:

### Handle Snapping

Cast steel design and enhanced fixings, make it practically impossible to jemmy the handle backplate from the door leaf

### Cylinder Snapping

An integrated cylinder guard forms a formidable barrier around the cylinder, protecting it from attack

### Cylinder De-Plugging

An integral anti-plug disc secures directly over the cylinder face, shielding it from attack

### Cylinder Drilling

The innovative anti-drill disc spins if attacked with a drill, preventing the drill bit from penetrating the cylinder

The Evolution High Security Door Handle has been independently tested at the UKAS accredited Mila Test Centre and meets the performance requirements of PAS 024 and Secured By Design. An SBD logo engraved onto the backplate gives peace-of-mind to consumers whilst serving as a deterrent to would be intruders.

MPL667 220mm Backplate  
MPL668 240mm Backplate



**MPL667**

**Suits most 92mm locks**

220mm Backplate

122mm Screw Centres

MPL667

**MPL668**

**Suits most 92mm locks**


240mm Backplate

216mm Screw Centres

MPL668

# uPVC Door Handle No 13


MPL183



To suit Ferco mechanisms (long backplate).

**Available Finishes:**  
Black, Gold, Silver, White

**Spindle:** 7mm  
**Sprung:** No



# Versa Retrofit Adjustable


MPL584

**V-HANDLE**



**Available Finishes:**  
Gold, White, Polished Chrome, Satin Chrome.

**Spindle:** 8mm  
**Sprung:** Yes



# uPVC Door Handle No 15


MPL185



Suits the old style Fuhr - do not confuse with the more common Ferco or Fullex

**Available Finishes:**  
Gold, White

**Spindle: 8mm**  
**Sprung: No**



# uPVC Door Handle No 16


MPL357



This handle is also available in a 3 screw variant.

**Available Finishes:**  
Gold, Silver, White, Black

**Spindle: 8mm**  
**Sprung: No**




## uPVC Door Handle No 18 MPL501



Suits the Millenco mechanism.

**Available Finishes:**  
Gold, White

**Spindle: 8mm**  
**Sprung: Yes**




## uPVC Door Handle No 20 MPL531



Commonly used  
to suit Yale locks.


**Available Finishes:**  
Gold, White

**Spindle: 8mm**  
**Sprung: Yes**



# uPVC Door Handle No 21


MPL963



Sprung handle for  
Ferco mechanism.

**Available Finishes:**  
Gold, White

**Spindle: 7mm**  
**Sprung: Yes**



# uPVC Door Handle No 22


CEGOSL-DH



To suit Cego  
door locks.

**Available Finishes:**  
Gold, White

**Spindle: 8mm**  
**Sprung: No**




## uPVC Door Handle No 1 L/P

MPL453



**Available Finishes:**  
Gold, Polished Chrome,  
White

**Spindle: 8mm**  
**Sprung: No**




## uPVC Door Handle No 8 L/P

MPL454




**Available Finishes:**  
Gold, Polished Chrome,  
Black

**Spindle: 8mm**  
**Sprung: No**




## uPVC Door Handle No 9 L/P

### MPL455




## uPVC Door Handle No 16 L/P

### MPL524




# uPVC Door Handle No 20 L/P

## MPL456



**Available Finishes:**  
Gold, Silver, White

**Spindle: 8mm**  
**Sprung: Yes**





## DID YOU KNOW WE OFFER A RANGE OF LOCKSMITH TRAINING COURSES?

**5  
DAY**

### ULTIMATE LOCKSMITH TRAINING COURSE

An all-in-one MPL Locksmith Course covering all aspects of our 2 and 3 day courses

**2  
DAY**

### ACCESS CONTROL COURSE

Ideal for those looking to increase their knowledge

**2  
DAY**

### UPVC REPAIR / TILT & TURN COURSE

Improve your repair skills with the 2 Day uPVC Repair / Tilt & Turn Course

**3  
DAY**

### SPECIALIST AUTO LOCKSMITH TRAINING COURSE

A specialist auto locksmith training course covering all aspects of vehicle entry

**3  
DAY**

### LOCKSMITH TRAINING COURSE

Accredited by NCFE - Ideal for those new to the industry

**1  
DAY**

### UPVC REPAIR COURSE

Improve your uPVC skills with the 1 Day uPVC Repair Course

**2  
DAY**

### ADVANCED LOCK PICKING TRAINING COURSE

Our 2 Day Advanced Picking Training Course covers the latest high-security cylinders

**5  
DAY**

### CITY & GUILDS ACCREDITED PROGRAMME

Specialist locksmith training -  
An all-in-one Locksmith Course

**BEST  
VALUE**

**City &  
Guilts**

FIND OUT MORE AT

**MPL-LOCKSMITH-TRAINING.CO.UK | ENQUIRIES@MPL-LOCKSMITH-TRAINING.CO.UK**  
**1 THORNES OFFICE PARK, MONCKTON ROAD, WAKEFIELD, WF2 7AN**

OR CALL US ON


**01924 693 293**

FOR MORE INFORMATION

**City &  
Guilts**

**ncfe.**  
**endorsed**


**CORGI**  
**Fenestration**



### Sliding Patio Door Handle No 3

MPL560


Available Finishes: White, Chrome, Gold



### Sliding Patio Door Handle No 4

MPL561


Available Finishes: White, Chrome, Gold



## Fullex 506 Series Patio Handle Set

Obsolete


Available Finishes: White, Gold



## Sliding Patio Door Handle No 6

MPL562

Available Finishes: White, Gold



### Pencil Butt Hinge - 0 °


TSSUBUTHINW - White

TSSUBUTHINBL - Black

TSSUBUTHINBW - Brown


### Pencil Butt Hinge - 5 °

TSSUBUTHINAW - White



### Paddock Neon Rebated Adjustable Butt Hinge

MPL232WH



### 3D Triad Flag Hinge

MPL233W - White

MPL233B - Dark Brown

MPL233G - Gold

MPL233C - Chrome



## TSS - 10" and 12" Letter Plates

Conforms to many standards and testing requirements including BS EN 1303:2005 and Secured by Design.

Outward facing brushes create the Anti-Vandal feature as it prevents vandals from placing unwanted items into the cavity.

180 degree opening flap means the flap will not snap off when opened too far.

Blind bolts to the exterior of the letter plate prevents the outer frame being unscrewed from the door externally.

An internal water seal prevents water getting into the door or panel, and stops letters getting wet.

Ultra-flexible springs can withstand the letterbox flap opening thousands of times without breaking.

Part No	Colour
TSSLET104080W	White
TSSLET104080BL	Black
TSSLET104080G	Gold
TSSLET104080PS	Polished Silver
TSSLET104080S	Silver

Part No	Colour
TSSLET122040W	White
TSSLET122040BL	Black
TSSLET122040G	Gold
TSSLET122040PS	Polished Silver
TSSLET122040S	Silver



## Mila Slimline Telescopic Letter Box

Length: 316mm.

Height: 50mm.

Sleeve depth: 36-70mm.

Aperture size: 269mm x 38mm.

Screw centres: 292mm.

Slimline letterplate for doors which cannot accept standard height plates. Secure fixing from inside by two self tapping screws. All metal construction, no internal brush seal. Slimline letterplate for use on UPVC doors with slim midrails or at the bottom of the door.

Part No	Colour
MPL803-White	White
MPL803-Black	Black
MPL803-Gold	Gold
MPL803-Chrome	Chrome



## Versa Retrofit Friction Stay

A range of friction hinges for either top or side hung windows that can be quickly changed from 13mm to 17mm stack heights with easy clean functionality built in and conveniently packaged in pairs with screws

### Specification

12" and 16" versions suit both top and side hung windows

All stays are supplied with 4mm packers to convert 13mm stays to a 17mm stack height

Supplied with self tapping repair friction stay screws

Easy clean functionality built in as standard

Tested to over 30'000 cycles

Manufactured from Ferritic steel

Supplied bagged in pairs with packers and screws but stays are also available in trade packs

Part No	Size	Stack Height
V-STAY8-13mm	8"	13mm
V-STAY8-17mm	8"	17mm
V-STAY10-13mm	10"	13mm
V-STAY10-17mm	10"	17mm
V-STAY12-13mm	12"	13mm
V-STAY12-17mm	12"	17mm
V-STAY16-13mm	16"	13mm
V-STAY16-17mm	16"	17mm
V-STAY20-13mm	20"	13mm
V-STAY20-17mm	20"	17mm
V-STAY24-13mm	24"	13mm
V-STAY24-17mm	24"	17mm



## White Sash Jammer

MPL149W

None locking, supplied with packers.

## Brown Sash Jammer

MPL149B

None locking, supplied with packers.



## TSS uPVC Locking Sash Jammer

TSSSJLW - White

TSSSJLBW - Brown



### Schlosser Technik Mini Window Cable Restrictor

MPL220W - White   MPL220BL - Black   MPL220O - Oak  
MPL220S - Silver   MPL220BR - Brown



### TSS British Standard Cable Window Restrictor

TSSCWRWHITE



## **Versa Retrofit Croppable Window Espag**

At

### Specification

Available as either a 21mm or 25mm backset

Available with either a slimline 13mm faceplate or a standard 16mm faceplate

Easily convert to offset from inline by unscrewing the packing piece

Simply crop to the desired length for quick and easy installation

Special fixing tabs allow the plate to move rather than the rollers

Part No	Backset	Length	Faceplate	No of Mushrooms
VESPSL21	21mm	Croppable	13mm Flat	2 - 4
VESPSL25	25mm	Croppable	13mm Flat	2 - 4
VESP21	21mm	Croppable	16mm Flat	2 - 4
VESP25	25mm	Croppable	16mm Flat	2 - 4






### **Mila Window Shootbolt Gearbox (Short)**

MPL297 - 20mm Backset

MPL298 - 22mm Backset

MPL299LH - Offset 22mm LH

MPL299RH - Offset 22mm RH



### **Maco MK1 Window Shootbolt Gearbox**

MPL300 - 20mm Backset

MPL301 - 22mm Backset



### **Saracen Window Gearbox with 11mm Deadbolt**

MPL302 - 20mm Backset




### **Saracen Shootbolt Gearbox (face mounted extensions)**

MPL303 - 20mm Backset

MPL304 - 22mm Backset



**Sashmate Side Hung**  
SMSHS



**Sashmate Top Hung**  
SMTHS



Sashmate® is a revolutionary and market leading 'clamp and brace tool' which has been specifically designed for repairman, by repairmen.

The Sashmate tools allow a single fitter to carry out repairs to externally glazed glass units, friction stay hinges and Espagnolettes safely from inside the building without the need for ladders, scaffold or any other form of external access equipment. The Sashmate tools can be used on uPVC, aluminium and wooden windows and can also be used on some windows fitted with reversible hinges. The Sashmate tools can be setup and broken down in seconds allowing jobs to be carried out in literally minutes. Maximise company profits and employee's safety with the Sashmate range!



### **VERSA Window Handle**

V-WING - Gold V-WINB - Black  
V-WINW - White  
V-WINC - Chrome



### **VERSA Cockspur Handle**

MPL965-GO-RH/LH - Gold  
MPL965-BL-RH/LH - Black  
MPL965-WH-RH/LH - White  
MPL965-CH-RH/LH - Chrome



### **Standard Window Handles**

MPL168-IL/LH/RH - Gold  
MPL166-IL/LH/RH - White  
MPL167-IL/LH/RH - Chrome



## Siegenia / Si Tilt & Turn Mechanism

Si Tilt and Turn Gearing / Mechanism for tilt and turn upvc windows and tilt and slide doors. This is an easy replacement part for all types of tilt and turn window gearing with a similar drive gear.

Backset: 18mm

Replace the old yellow coloured Si mechanisms

(Siegenia KF3 SI-Line Standard)

Fitter must cut to size when installing. To identify the correct tilt and turn gearbox size you require you will see the markings stamped on the tilt and turn mechanism.

Part No	Description
MPL510	Gr-0 - 480mm to 600mm
MPL511	Gr-1 - 601mm to 1100mm
MPL512	Gr-2 - 1000mm to 1460mm
MPL513	Gr-3 - 1461mm - 1921mm
MPL514	Gr-4 - 1880mm - 2380mm



### **Tilt & Turn Window Handle**

MPL169G - Gold

MPL169W - White


MPL169C - Chrome



**Euro Escutcheon**

MPL485G - Gold

MPL485S - Silver



**Rim Cylinder**


MPL127



**Mortice Escutcheon**

MPL686G - Gold

MPL686S - Silver



**Screw In Cylinders (Pair)**

MPL218



### **TSS Door Closer**

TSSOHCLOSE3S



### **Cam Locks**

TSSCAM-16/20/22/27/32



### **Glazing Wedges**

MPL143 - Mixed Pack of 100

Individual sizes in bags of 1000 also available - call sales for more info.



### **Combination Locks**

MPL131B - Brass

MPL131C - Chrome



### **TSS Nightlatch (Deadlocking)**

40mm Grey / Brass - NL40B  
 40mm Grey / Nickel - NL40S  
 60mm Grey / Brass - NL60B  
 60mm Grey / Nickel - NL60S



### **TSS Nightlatch (Non Deadlock)**

40mm Grey / Brass - NL40NLB  
 40mm Grey / Nickel - NL40NLS  
 60mm Grey / Brass - NL60NLB  
 60mm Grey / Nickel - NL60NLS



### **TSS Digital Lock (Tube Mortice)**

TSDDIGIS



### **TSS Tubular Mortice Latch**

63mm Electro Brass - TSSTUBML25B  
 63mm Nickel - TSSTUBML25N  
 75mm Electro Brass - TSSTUBML3B  
 75mm Nickel - TSSTUBML3N



### **TSS Oval Bullet Lock**

TSSOBLKA (Keyed Alike)

TSSOBLKD (To Differ)



### **TSS Round Bullet Lock**

TSSRBLKA (Keyed Alike)

TSSRBLKD (To Differ)



### **TSS Oval Shutter Housing**

TSSOBLHOU



### **TSS Round Shutter Housing**

TSSRBLHOU



### **TSS Sliding Door Chain**

Brass - TSSSLDOCHAINB

Chrome - TSSSLDOCHAINC



### **TSS Victorian - Lever Lock**

Chrome - TSSVICLOCKC

Brass - TSSVICLLLOCKB



### **TSS Victorian - Lever Latch**

Chrome - TSSVICLLATCHC

Brass - TSSVICLLATCHB



### **TSS Victorian - Lever Euro**


Chrome - TSSVICLEURC

Brass - TSSVICLEURB



**TSS Victorian - Lever Bathroom**

Chrome - TSSVICLBATHC  
Brass - TSSVICLBATHB



**TSS Victorian - Lever Privacy**

Chrome - TSSVICLPRIVC  
Brass - TSSVICLPRIVB




**TSS Oval Shutter Housing**

TSSOBLHOU



**TSS Round Shutter Housing**

TSSRBLHOU



### TSS Standard Duty Barrel Bolts

Available in 1.5,2,2.5,3,4,6"  
Brass - TSSBARB[]B  
Chrome - TSSBARB[]SC  
Polished Aluminium - TSSBARB[]AA



### TSS Rim Sashlock

Black - TSSRIM140BL



### TSS Rim Deadlock

Black - TSSRIMDLBL




### TSS Multipoint Handles

White - TSSHAN122LLW  
Chrome - TSSHAN122LLC  
Silver - TSSHAN122LLS  
Black - TSSHAN122LLBL



Can't see the item you require in this catalogue?  
We stock a huge range of spares and repairs and  
can often source those difficult to find items!

Call us today on freephone **0800 197 6885** to  
find out more.



## TSS 3 Lever Mortice Lock

### Deadlock

2.5" Brass - TSS3LMDL25B

2.5" Satin Chrome - TSS3LMDL25S

3" Brass - TSS3LMDL3B

3" Satin Chrome - TSS3LMDL3S


### Sashlock

2.5" Brass - TSS3LMSL25B

2.5" Satin Chrome - TSS3LMSL25S

3" Brass - TSS3LMSL3B

3" Satin Chrome - TSS3LMSL3S



## TSS British Standard 5 Lever Sash Lock

### Deadlock

2.5" Brass - TSSBSMDL25B

2.5" Satin Chrome - TSSBSMDL25S

3" Brass - TSSBSMDL3B

3" Satin Chrome - TSSBSMDL3S


### Sashlock

2.5" Brass - TSSBSMSL25B

2.5" Satin Chrome - TSSBSMSL25S

3" Brass - TSSBSMSL3B

3" Satin Chrome - TSSBSMSL3S



## 5 Lever ERA Fortress Mortice Lock

MPL781 - 2.5" Deadlock

MPL782 - 2.5" Sashlock

MPL783 - 3" Deadlock

MPL784 - 3" Sashlock

Comes complete with faceplate, strike, and 2 keys. Brass finish as standard.  
Complies to BS3621



## MPL Bell Lock Puller

No mess, no excessive drilling, no counting pins, no drilling too far - and most of all, a professional tool to use in front of your customer that is guaranteed to work.

The most common use of the Lock Puller is in gaining access to euro and oval profile cylinders in MultiPoint Locks (on uPVC and composite doors). Without causing any damage to the mechanism, the cylinder can be completely removed or if you prefer using the cover plates just the plug pulled.

For its compact and robust design and its simplicity and ease of use, the "BELL" is considered one of the best plug-pulling devices among international specialists.

The Bell is made from hardened steel to allow for several years of use. The pulling mechanism has a very fine, hardened M12 thread for smooth working without having to exert any greater strength. We have a constant stock of spare parts such as the puller screws, should you need any more.

## MPL Bell Lock Puller

We offer a number of different packages, including parts and spares that can be bought separately:

Part No	Description
MPL493	<b>Complete Set</b> Lock Puller, Cover Plates, Rubber Protectors, Magnetic MUL-T-Tool, Screw Driving Adaptor, Ratchet, 5 x 4.2mm Premium Pull Screws, 5 x 4.8mm Premium Pull Screws all supplied in protective carry case.
MPL669	<b>Complete Set (without carry case)</b> Lock Puller, Cover Plates, Rubber Protectors, Magnetic MUL-T-Tool, Screw Driving Adaptor, Ratchet, 5 x 4.2mm Premium Pull Screws, 5 x 4.8mm Premium Pull Screws.
MPL670	<b>Lock Puller and Ratchet Only</b> Lock Puller, Cover Plates, Rubber Protectors, Ratchet
MPL671	<b>Lock Puller Only</b> Lock Puller, Cover Plates, Rubber Protectors

## Pull Screws

Screw Size	Single	x10	x50	x100
4.2mm	MPL739	MPL672	MPL697	MPL460
4.8mm	MPL740	MPL673	MPL698	MPL466
5.4mm	MPL741	MPL674	MPL699	MPL675

### What size screw is best to use?

We always recommend for standard euro cylinders etc that you start with a 4.2mm screw - this is usually sufficient.

## Individual Parts

Part No	Description
MPL701	Screw Driving Adaptor
MPL676	Magnetic MUL-T-Tool
MPL491	Carry Case

For break secure locks and locks with a bigger keyway the 4.8mm is usually more effective, and very rarely the 5.4mm can be used.

order now on 01924 360444 or visit [www.multipointlocks.co.uk](http://www.multipointlocks.co.uk)



## Air Pump Bag

MPL575

Ideal for use when gaining access to failed uPVC door mechanisms or cars.



## Window / Latch Tool

MPL694

A handy tool for sliding in small gaps to retract latches and window mushrooms.



## Cylinder Measurer

MPL689


Measure the size of the cylinder without having to remove it from the door.



## Glazing Shovel

MPL436

A must have for every uPVC repair engineer.



## Mica Cards (Pack of 5)

MPL692

Slip Yale and other latch type locks for NDE.



## Screw Driving Adaptor

MPL701


Used in conjunction with the lock puller for quick drilling of screws.



## Slim Line Pick Set (37pcs)

PS3010

A basic pick set for all locksmiths. Includes tension tools.



## Euro Tool Set

MPL690

2 magnetic cam turners / MUL-T-TOOLS and broken key extractors.

order now on 01924 360444 or visit [www.multipointlocks.co.uk](http://www.multipointlocks.co.uk)



## Lock Cracker

MPL678 - Euro MPL679 - Oval

A snapper tool that can be tightened to snap euros with just a 3mm overhang.



## Euro & Oval Snapper Bar

MPL226

High quality standard snapper bar for euro and oval cylinders - a must have tool.



## Double Glazing Measurer

MPL142

A handy tool for accurately measuring the thickness of double glazed units.



## TCT Hard Plate Drill Bit

MPL796 - 4mm

MPL695 - 6.5mm

MPL680 - 8mm

MPL797 - 10mm



## Plug Spinner

MPL527

Picked a cylinder the wrong way? Use this handy tool to spin it the right way.



## MUL-T-TOOL (Short)

MPL742

Quickly test, lock and unlock all mechanisms with this handy tool.



## MUL-T-TOOL (Long)

MPL703

Quickly test, lock and unlock all mechanisms with this handy tool.




## Klom Pick Gun

MPL497

Highly rated by many locksmiths one of the best pick guns on the market.



**Circular Tensioner Tool**  
MPL450



**Spiral Blade Key Extractor**  
EXTRACTOR-SPIRAL-1




**Tension Keys**  
MPL681

5G, 6G, 7G, 8G mortice tension keys to aid mortice picking.



**Door Spreaders**  
MPL508

455mm and 755mm door spreader twin pack - ideal for failed uPVC mechanisms.



### Lever Lock Pick Set

MPL682



### Manual Lock Code Bypass Tool

DIGITAL-LOCK-CODE



### Padlock Shim Picks (20pc)

PADLOCK-SHIMS



### Tubular Lock Cutter

TUBULAR-CUTTER

Practice your cylinder picking techniques using our training cylinder.

order now on 01924 360444 or visit [www.multipointlocks.co.uk](http://www.multipointlocks.co.uk)



**Mortice Key Turner**  
KEY-TURNER



**Curtain Mortice Key Turner**  
MORTICE-KEY-TURNER-5G



**Key Jiggers**  
SOUBER-MJ1



**Torx Bit**  
MPL515



## Letter Box Opening Tool


Full Set - LBT

Attachment Head - LBTHEAD




## Souber New Style Morticer Jig

MORTICER-SOUBER



## Multi Gauge Curtain Pick

MULTI-GAUGE-CP



## Majestic Pick Set (13pc)

MPL677



**Dino Electric Pick**  
MPL496



**GOSO Dimple Pick (17pc)**  
GOSO-DIMPLE



**ABS Dimple Pick Decoder**  
DPDABS



**ICL Thumb Turn Bypass**  
ICL-THUMB-TURNER



**2 in 1 Pick**

LT099



**MHP Pick Gun 2**

MHP2



**Lock Puller QA2 Pro 2**

QA2LP



**Decoder  
(Fortress, Union SB, Yale BS)**

DECODER-EF-US-YBS



**Micro Jiggler Set**  
SOUBER-MJ2



**2&3 Lever Mortice Tryout Keys**  
3L-PICK-DET




**HPC Snap Ring Pliers**

AUT001



**GT85 Spray**

AUT002



**Lishi Tibbe Pick 6 Cut**

AUT003



**Lishi Tibbe Pick 8 Cut**

AUT004



**GOSO 11PC Auto Pick Set**  
AUT005




**Large Pump Bag**  
MPL575



**Gold Finger Kit**  
AUT006




**HPC Button Tool - Super Snare**  
AUT007




**Long Reach Tool**

AUT036



**HPC Button Tool Super Snare**

AUT007



**KLOM Power Wedge**

AUT098



**Wedgee Wedge**

AUT097



**Mr Li - KIA7/HY22**  
AUT010



**Mr Li - Fiat/Alfa SIP22**  
AUT011



**Mr Li - HU92 BMW**  
AUT012



**Mr Li - VA2 Citroen/Peugot**  
AUT013



**Mr Li - HU66 VW**  
AUT014



**Mr Li - HU83 Peugeot**  
AUT015



**Mr Li - HU100 Vaux/Opel**  
AUT099



**Mr Li - HU100R BMW**  
AUT016



**Mr Li - HU101 Ford/Rover/Volvo**  
AUT017



**Mr Li - HU162T VW 9 Cut**  
AUT035



**BMW Inner Groove Pick**  
AUT018



**Mercedes Inner Groove Pick**  
AUT019



**Ford Inner Groove Pick**  
AUT020



**VAG Inner Groove Pick**  
AUT021



**KLOM Plug Spinner**  
AUT096



**Key Extraction Kit (Auto)**  
AUT022



**Jiggler Keys (Auto)**

AUT023



**Oyster 923 Ford Transit**

AUT024



**Oster 922 Ford Transit**

AUT025



**Mr Li Vice**

AUT026




### **Oyster HU100**

Vauxhall Astra, Corsa  
AUT027



### **Oyster HU46**

Vauxhall Astra, Corsa  
AUT028



### **VW Lockset**

Golf MK7, Tiguan and Touran.  
AUT029



### **HU66 VAG Lock**

AUT030



**Oyster 549K**

AUT031



**Mr Li Lock Trainer**

AUT032



**Transponder Manual**

AUT033



**Lishi 2-in-1 Training Manual**

AUT034




### **Oyster HU100**

Vauxhall Astra, Corsa  
AUT027



### **Oyster HU46**

Vauxhall Astra, Corsa  
AUT028



### **VW Lockset**

Golf MK7, Tiguan and Touran.  
AUT029



### **HU66 VAG Lock**

AUT030

# Terms and General Information

## General Information

Every effort has been made to ensure that all dimensions and information given in this catalogue are correct. With such a large and technical product range it is inevitable that discrepancies may occur. Should you wish to double check any of this information please don't hesitate to call us. MPL cannot be held responsible for any errors or omissions.

## Late Deliveries and Surcharges

MPL cannot be held liable for late deliveries from our courier. We operate services based on a next day delivery basis where possible. Please note that overseas deliveries may take longer. We will endeavour to deliver your order as quickly as possible.

Please note that the below postcodes may be subject to delivery surcharges:

AB31 - AB56, FK18, FK19, HS1 - HS9, IV1 - IV56, IV63, KA27, KA28, KW1 - KW17. PA20 - PA78, PA87, PA88, PH17 - PH50, PO30 - PO4, ZE1 - ZE3

## Returns and Refunds

Please note that before sending back your order you must call our customer services team on 01924 360444. You should also include a note with your returned goods including your name, address, contact telephone number and any additional relevant information.

Items returned because they are damaged or defective

If you are returning an item because it is damaged or defective, we will pay your costs of returning it to us and also provide a replacement product. MPL will check all items returned as damaged or defective. If it is deemed that the customer has damaged the goods, no refund will be offered. In the event we find no fault, we reserve the right to recover our fees and expenses from you.

Items returned within because an incorrect item has been ordered

If you are returning an item because it has been incorrectly ordered, return postage costs must be met by the customer. MPL will issue the refund for the price of the goods within 30 days of the refund process beginning. Please note postage costs will not be refunded. All items that are collected in person are subject to a 15% handling fee upon return.

Made to Order Items and Services

If you are returning an item that has been made to your specifications a 15% handling charge will be applied. Items that fall under this category include services such as keying-a-like locks and one off orders.



## DID YOU KNOW WE OFFER A RANGE OF LOCKSMITH TRAINING COURSES?

**5  
DAY**

### ULTIMATE LOCKSMITH TRAINING COURSE

An all-in-one MPL Locksmith Course covering all aspects of our 2 and 3 day courses

**2  
DAY**

### ACCESS CONTROL COURSE

Ideal for those looking to increase their knowledge

**2  
DAY**

### UPVC REPAIR / TILT & TURN COURSE

Improve your repair skills with the 2 Day uPVC Repair / Tilt & Turn Course

**3  
DAY**

### SPECIALIST AUTO LOCKSMITH TRAINING COURSE

A specialist auto locksmith training course covering all aspects of vehicle entry

**3  
DAY**

### LOCKSMITH TRAINING COURSE

Accredited by NCFE - Ideal for those new to the industry

**1  
DAY**

### UPVC REPAIR COURSE

Improve your uPVC skills with the 1 Day uPVC Repair Course

**2  
DAY**

### ADVANCED LOCK PICKING TRAINING COURSE

Our 2 Day Advanced Picking Training Course covers the latest high-security cylinders

**5  
DAY**

### CITY & GUILDS ACCREDITED PROGRAMME

Specialist locksmith training -  
An all-in-one Locksmith Course

**BEST  
VALUE**

**City &  
Guilds**

FIND OUT MORE AT

[MPL-LOCKSMITH-TRAINING.CO.UK](http://MPL-LOCKSMITH-TRAINING.CO.UK) | [ENQUIRIES@MPL-LOCKSMITH-TRAINING.CO.UK](mailto:ENQUIRIES@MPL-LOCKSMITH-TRAINING.CO.UK)

1 THORNES OFFICE PARK, MONCKTON ROAD, WAKEFIELD, WF2 7AN

OR CALL US ON

**01924 693 293**

FOR MORE INFORMATION

**City &  
Guilds**

**ncfe.  
endorsed**

**CORGI  
Fenestration**



# 2017/18

## MPL PRODUCT CATALOGUE

Here at MPL we have searched far and wide for the best possible range of replacement uPVC door locks, hardware and locksmith tools.



**Company Registration:** 048 670 98  
**VAT Registration:** 828 34 1132

**Telephone Number** 01924 360444  
**Email** [enquiries@multipointlocks.co.uk](mailto:enquiries@multipointlocks.co.uk)

**Wakefield Trade Counter**  
MPL, 31-33 Westgate End,  
Wakefield,  
West Yorkshire,  
WF2 9RG